

Treston Dual LED Lighting



Treston's dual intensity LED light (available with built in shield) features a High/Low/Off switch that allows the user to control the amount of light used. They can easily be attached to light balancer rails, shelves, and other surfaces. Optional magnetic mounting bracket for attaching the light fixture to a metal shelf allows for greater functionality and maneuverability.

LED light fixtures are a great addition to any workstation or workplace, where energy efficiency, durability, and longevity are important factors. LEDs boast a long life span, 10x longer than traditional florescent lamps, and use up to 90% less power than traditional lighting. Treston LED lights have a lifespan of up to 100,000 hours (11 1/2 years powered 24 hrs/day).

- High/Low/Off switch
- Daisy Chain up to 10 fixtures with 1 power source for a continuous length of lighting, with minimum wiring
- 10ft power cord included
- Operating voltage: 90 to 264 V ac (50 or 60 Hz), Power factor > 0.95 on high setting at 120 V ac
- Lumen output: 600 (±5%) per foot, typical at 25 °C (77 °F)
- Light color: Daylight white
- Color temperature (CCT): 5000K (±300K)
- UL approved, CE certified
- Light balancer rail hardware included. Optional magnetic mount for attachment to metal surfaces. Swivel bracket available for positioning light throughout workspace.

[Treston's LED lights are now available with a built-in motion sensor!](#) See products below.

Treston Dual LED Lighting (23)

Code	Product	Width inches	ESD	Color temperature K	Illuminance lux	Dimmable	Operating temperature F	Enclosure protection	Color name	Power cord inches	Net Weight lbs	Available for the following products	Availability USA	Warranty years	Energy efficiency class
14-95035171	LED Light with built in skirt/shield, 22.44	22.44	Yes	5000	1200		-13°F - +113°F	IP50		0	0	Concept Ergo workbench, TP workbench, Basic Upright Frame, Cornerstone Workbenches, FiFo Flow Rack, Treston Electric Desk TED, Treston Quick Edge Workstation , Treston QuatreX electrical workbench		2	
14-95035172	LED Light with built in skirt/shield, 33.46	33.46	Yes	5000	1200		-13°F - +113°F	IP50		0	0	Concept Ergo workbench, TP workbench, Basic Upright Frame, Cornerstone Workbenches, FiFo Flow Rack, Treston Electric Desk TED, Treston Quick Edge Workstation , Treston QuatreX electrical workbench		2	
14-95035173	LED Light with built in skirt/shield, 44.48	44.49	Yes	5000	1200		-13°F - +113°F	IP50		0	0	Concept Ergo workbench, TP workbench, Basic Upright Frame, Cornerstone Workbenches, FiFo Flow Rack, Treston Electric Desk TED, Treston Quick Edge Workstation , Treston QuatreX electrical workbench		2	
14-95035174	LED Light with built in skirt/shield, 22.44", magnetic	22.44	Yes	5000	1200		-13°F - +113°F	IP50		0	0	Concept Ergo workbench, TP workbench, Basic Upright Frame, TPB packing bench, Cornerstone Workbenches, Utility Support Uprights , FiFo Flow Rack, Treston Electric Desk TED, Treston Quick Edge Workstation , Treston QuatreX electrical workbench		2	
14-95035175	LED Light with built in skirt/shield, 33.46", magnetic	33.46	Yes	5000	1200		-13°F - +113°F	IP50		0	0	Concept Ergo workbench, TP workbench, Basic Upright Frame, TPB packing bench, Cornerstone Workbenches, Utility Support Uprights , FiFo Flow Rack, Treston Electric Desk TED, Treston Quick Edge Workstation , Treston QuatreX electrical workbench		2	
14-95035176	LED Light with built in skirt/shield, 44.48", magnetic	44.49	Yes	5000	1200		-13°F - +113°F	IP50		0	0	Concept Ergo workbench, TP workbench, Basic Upright Frame, TPB packing bench, Cornerstone Workbenches, Utility Support Uprights , FiFo Flow Rack, Treston Electric Desk TED, Treston Quick Edge Workstation , Treston QuatreX electrical workbench		2	

Code	Product	Width inches	ESD	Color temperature K	Illuminance lux	Dimmable	Operating temperature F	Enclosure protection	Color name	Power cord inches	Net Weight lbs	Available for the following products	Availability USA	Warranty years	Energy efficiency class
14-95035401	25.6"L LED light, built in shield, motion sensor, overhead	22.44		5000	1200	No	-13°F - +113°F	IP50		0	0	Concept Ergo workbench, TP workbench, Basic Upright Frame, Cornerstone Workbenches, Worksurface Mounted Uprights, FiFo Flow Rack, Treston Electric Desk TED, Treston Quick Edge Workstation , Treston QuatreX electrical workbench		2	
14-95035402	36.7"L LED light, built in shield, motion sensor, overhead	33.46		5000	1200	No	-13°F - +113°F	IP50		0	0	Concept Ergo workbench, TP workbench, Basic Upright Frame, Cornerstone Workbenches, Worksurface Mounted Uprights, FiFo Flow Rack, Treston Electric Desk TED, Treston Quick Edge Workstation , Treston QuatreX electrical workbench		2	
14-95035403	47.8"L LED light, built in shield, motion sensor, overhead	44.49		5000	1200	No	-13°F - +113°F	IP50		0	0	Concept Ergo workbench, TP workbench, Basic Upright Frame, Cornerstone Workbenches, Worksurface Mounted Uprights, FiFo Flow Rack, Treston Electric Desk TED, Treston Quick Edge Workstation , Treston QuatreX electrical workbench		2	
14-95035404	25.6"L LED light, built in shield, motion sensor, Magnetic	22.44		5000	1200	No	-13°F - +113°F	IP50		0	0	Concept Ergo workbench, TP workbench, Basic Upright Frame, TPB packing bench, Cornerstone Workbenches, Worksurface Mounted Uprights, Utility Support Uprights, FiFo Flow Rack, Treston Electric Desk TED, Treston Quick Edge Workstation , Treston QuatreX electrical workbench		2	
14-95035405	36.7"L LED light, built in shield, motion sensor, Magnetic	33.46		5000	1200	No	-13°F - +113°F	IP50		0	0	Concept Ergo workbench, TP workbench, Basic Upright Frame, TPB packing bench, Cornerstone Workbenches, Worksurface Mounted Uprights, Utility Support Uprights, FiFo Flow Rack, Treston Electric Desk TED, Treston Quick Edge Workstation , Treston QuatreX electrical workbench		2	
14-95035406	47.8"L LED light, built in shield, motion sensor, Magnetic	44.49		5000	1200	No	-13°F - +113°F	IP50		0	0	Concept Ergo workbench, TP workbench, Basic Upright Frame, TPB packing bench, Cornerstone Workbenches, Worksurface Mounted Uprights, Utility Support Uprights, FiFo Flow Rack, Treston Electric Desk TED, Treston Quick Edge Workstation , Treston QuatreX electrical workbench		2	

Code	Product	Width inches	ESD	Color temperature K	Illuminance lux	Dimmable	Operating temperature F	Enclosure protection	Color name	Power cord inches	Net Weight lbs	Available for the following products	Availability USA	Warranty years	Energy efficiency class
QS-1022325	Workmaster under shelf light 36" LED	2.99	Yes							0	11	IAC Workmaster Workbench		10	
QS-1022326	Workmaster under shelf light 48" LED	2.99	Yes							0	11	IAC Workmaster Workbench		10	
QS-1022971-D	MTS Econo light assembly 48L SKY BLUE	20	No						Black	0	0	IAC Workmaster Workbench		10	
QS-1022972-D	MTS Econo light assembly 60L SKY BLUE	20	No						Black	0	0	IAC Workmaster Workbench		10	
QS-1022973-D	MTS Econo light assembly 72L SKY BLUE	20	No						Black	0	0	IAC Workmaster Workbench		10	
QS-1022975-D	MTS Econo light assembly 96L SKY BLUE	20	No						Black	0	0	IAC Workmaster Workbench		10	
QS-2012302	Dimension 4 light assembly 60" W/8"CORD	10.98	No							0	0	IAC Dimension 4 Workstation		10	
QS-2012303	Dimension 4 light assembly 72" W/8"CORD	10.98	No							0	0	IAC Dimension 4 Workstation		10	

Code	Product	Width inches	ESD	Color temperature K	Illuminance lux	Dimmable	Operating temperature F	Enclosure protection	Color name	Power cord inches	Net Weight lbs	Available for the following products	Availability USA	Warranty years	Energy efficiency class
14-9500039	Task light bracket, accepts 1/2" pin style task lights		Yes							0	0			5	
14-9502172	Ultra-slim white magnifying lamp with 7 inch dia. precision		No	6000K		Yes				0	0			2	
14-9502173	Omega 5 Magnifier		No							0	0			2	