

TRESTON

DEDICATED TO HUMAN WORKSPACE




DISTINCTIVE WORKSHOPS


PRODUCT CATALOG

3D ONLINE CONFIGURATOR

CLICK • DESIGN • QUOTE



<https://3d.treston.us>



About us

Dedicated to human workspace	4
Ergonomics in our workspaces	8
Decorating with color	10




Workbenches and accessories

Workshop	14
TP	18
Accessories for Workshop and TP	24



Lighting

Lighting ergonomics	34
---------------------	----



Chairs

Chairs and accessories	41
------------------------	----



Carts

Heavy-duty cart	46	Storage cart	49
Fitter's cart	47	Basic cart	50
Service cart	48	Industrial cart IT	51



Drawer units

Drawer unit 45	55
Drawer unit 55	56
Drawer unit 71	59
Drawer units 70, 90 and 130	60




Shelves and cabinets

Storage system	74
Heavy storage system	77
Industrial cabinets	80



Perforated panels

Perforated back and wall panels	88
Industrial screens	89
Tool storage system	89
Panel hooks	90





For a Better Work Environment

DEDICATED TO HUMAN WORKSPACE

Treston is among the world's leading suppliers of industrial furniture and workstations.

Our workstation design and implementation process always begins with the person performing the work. In this way, we pay close attention to ergonomics, functionality and efficiency.

The four cornerstones of our operations are customer focus, reliability, high quality and continuity. We listen to your needs and reliably deliver high quality and durable solutions, which last from one generation to the next, thanks to our optimal design.

Our own sales network and retailers dedicated to our products provide worldwide assistance and service in support of Treston products.



Industrial furniture and workstations for different working environments

Treston's product range is divided into three categories, a separate catalog is available for each category. Please contact our agents or email us at: infousa@treston.com to get your own copy.

Distinctive workshops

Our workshop drawer cabinets, tool panels and workbenches are designed to withstand heavy loads and strenuous use in workshops, repair shops and industrial environments.

The long lifetime of our furniture guarantees productivity and a satisfied user. Our workshop furniture is also well known in teaching environments.

Ergonomic workstations

The seamless efficiency of material flow is emphasized in assembly workstations.

Process changes in production or operations require reconfigurable workstations that take account of individual ergonomic requirements. Our modular product solutions allow you to react to new situations and the resulting needs in an agile manner, enabling smooth, continuous operations. Thanks to our extensive selection of accessories, we are able to satisfy even the most challenging requirements.

Treston's design and years of experience enable us to customize each solution to best suit its purpose. For the needs of the electronics industry, we make ESD-protected workstations, suitable for furnishing EPAs. These workstations are also highly suitable for precision mechanics and mechanical engineering.

Swift in-house logistics

Treston storage furniture encompasses both ease of use and design. Our selection provides solutions to a surprisingly broad range of storage challenges, regardless of the users and sector.

Our plastic storage drawers are durable and easy to clean, and can be customized into a complete storage system if necessary. Our product range also includes various stand and cart solutions, for the more efficient use of storage space and easier movement of stored goods.

We also have storage furniture for environments that require ESD protection. In addition, some of our storage solutions are molded from recycled plastic.

Packaging and shipping departments are often found at the end of production processes. Their logistic efficiency can be easily improved through sensible workstation design.

A great deal of manual labor and quality assurance are typical of the packaging stage, in both individual stations and line solutions. Our solution for the needs of these segments often builds on the idea of "more for less".

When accessories are located and positioned according to LEAN principles, you can significantly speed up throughput and reduce work strain. Cutters, pens, knives, trash bins and displays can be positioned in a way that provides the user with the best possible ergonomics, while also ensuring a free and uncluttered workspace.

Workstations for every need

Optimizing workstation functionality may prove difficult without well chosen accessories that increase usability. When a workstation is well planned and well equipped, workflow becomes easier and more efficient, improving ergonomics and making it easier to keep tools in place.

Modular means adaptable

Our world keeps changing at an ever-increasing pace. Until recently, products could be manufactured the same way for decades, but now we must be prepared to make changes to our work practices at a much faster rate. In order to revise the production process to meet new requirements, an extremely flexible and adaptable workstation system is essential. Our system is designed particularly with this in mind. The same basic units, equipped with accessories that meet your needs, offer a wide range of applications.

Customized for your application and your operator

The purpose of a workstation determines its basic requirements and accessories. The needs and requirements may change considerably from one employee to another, but we understand that no two people are alike. When a workstation is equipped for and adjusted to an individual's needs, each phase of the production process can be completed without delay, with accuracy and with maximum comfort.

Treston offers a wide range of ergonomic workstations to choose from, from those that can be delivered quickly to those that provide versatile options to meet any need.





Ergonomics in our workstations

Costs associated with health and safety problems are an ever increasing concern to all industries. This concern drives industries to seek solutions to provide a healthy, safe and productive working environment. **Designing a workplace with ergonomics in mind improves the employees' wellbeing which in turn improves productivity.**

The modular design of Treston workstations enables proper ergonomics. With a wide range of accessories and adjustments we can provide customers with a customized solution using standard components. **Modularity and accessories are individually adjustable according to the task and operator requirements.** The aim is to create an uncluttered workstation and utilise the available workspace as efficiently as possible.

Treston's workstations and accessories can be adjusted for operators of different heights working with left or right hand. Correctly adjusted workstations decrease stress in the muscles and enable productive work throughout the shift.


Please do remember that ergonomy is not only adjusting your chair. Real ergonomy has to do with proper lighting, noise absorption, body movements and air quality. More information about lighting ergonomics on page 34.

Seated or standing work?

The choice of a seated or standing working position is dependent upon the task to be executed. The height of the work surface is determined by such factors as size and weight of the part, precision requirement, assembly process, repetitiveness etc.

Height adjustability is especially useful when the size of the products being handled varies or when several people use the same workstation.

When designing the work space for a seated operation leg space requirements must be considered. The recommended space should be at least 80 cm wide and 90 cm deep at floor level. For standing work, the required space is much smaller.



Standing work

Our standards comply with the highest certification requirements



Quality certification

ISO 9001 : 2008

Environmental Management System certification

ISO 14001 : 2004
+ Cor 1 : 2009

Packaging treatment following to EU directives.

ESD-approval certification

Our ESD products fulfill the
basic requirements of IEC
61340-5-1.

GS certification for lighting and TP workbench



Cleanroom Suitability of Treston Concept Motorized Workstations

ISO 14644-1, class 7

Cleanroom Suitability of Chair Treston Ergo C20PU-ESD

ISO 14644-1, class 7

ESD certification

Treston Concept worksta-
tions fulfill the basic require-
ments of IEC 61340-5-1

To obtain a copy of our certificates, please contact infousa@tresib.com.



The guarantee period for products manufactured by Treston is 5 years from the date of delivery; this excludes workbench tops, trade parts, electronic components, custom made articles and moving parts, for which there is a guarantee period of 2 years.






Decorating with color

The working environment can also look good and be inspirational. By choosing the colors of your equipment to match your corporate colour, you can reinforce your corporate image while creating a pleasant working environment.

Doors, drawers and perforated panels all come in various colors. The combination of different colors creates an interesting effect. Colors can also act as codes or identifiers.



Color codes

Workbench, cabinet, shelving, drawer units and cart frames are all light grey RAL 7035. Outside of the standard color range, additional colors are available on request. Please contact our agents or email us at: infousa@treston.com.

	Color code	RAL code	Doors	Drawers	Perforated panels and back panels
Light grey	49* & 41**	RAL 7035 (ESD)	STD	A/STD	A/STD
Blue	07	RAL 5007	STD	A/STD	STD
Dark grey	45	RAL 7045	A	A	A
Red	25	RAL 3002	A	A	A


STD = Standard factory color, normal warehouse delivery, listed price.

A = Factory color, not stocked, listed price.


* The products ordered with the color code 49 (RAL 7035) is entirely ESD protected. Please note the ESD protection feature of this color will result in a slightly darker shade of color than the given RAL code.

**The frames of the products ordered with the color code 41 (RAL 7035) are powder coated with a light grey ESD color, but there are non-ESD parts in these products, such as shelves, rubber mats or casters.

STANDARD COLORS



FACTORY COLORS



The color code is included in those product codes that are formed with numbers.

It is either at the end, following the hyphen (e.g. 860 804-49), or in the middle (e.g. C 334-07-000).



Printed colors do not give a fully accurate representation of painted colors. Please ask our agent about various samples.



Workbenches and accessories



Workshop benches

‘Workshop’ benches are designed for the most demanding use and environments. Mechanical workshops, garages and heavy industry are environments where chemicals, heavy loads, and strenuous use necessitate robustness. These workbenches are very durable

and withstand the toughest conditions. There is a wide range of accessories available.

The Workshop bench is guaranteed for regular use with loads up to 1650 lbs.



- Worktop designed for very heavy loads, load capacity up to 1650 lbs.
- Very stable on uneven surfaces due to adjustable legs.
- Can be bolted to floor for more stability.
- You can build your personal workstation with our wide range of accessories.



A drawer unit can serve as a leg

Workshop workbenches can be easily extended by using a drawer frame or a leg as a common support for two workbenches.



This example includes


Qty	Name	Size in	Order No
2	Fixed height leg	31.49	836303-49
2	Steel worksurface	59.05 x 29.52	836721-74
1	Drawer unit 55/66-1	21.65 x 28.14 x 31.49	61207201



WATCH THIS ANIMATION showcasing the versatile usage options of our workshop furniture: Workshop | <https://youtu.be/gnkVyflu-MI>

Designing a Workshop workstation

Workshop workstations are available in several sizes. Accessories can be added to optimize functionality and increase usability. See pages 48-87 for accessories.



Design your own workstation


You can design your own workstation using the available components with the 3D configurator at <http://3d.treston.us>

Workshop™ Workstation


Order No C14-1304127

Please see pages 48-87 for more accessory options.

Workshop Worksurfaces



- Select the appropriate bench top.
- Select a support for both ends of the bench top: adjustable or fixed leg or a drawer unit.
- Use a spacer bar to stabilize the bench.
- An accessory frame can be used instead of a spacer bar if upright tubes are used.
- Equip with accessories starting from page 24.




Workshop steel top

- Steel top 1/16 inch
- Painted dark-grey surface
- Blue plastic end edges
- Plywood and chipboard core
- Threaded bushings for attaching legs and drawer units
- 1/8 inch steel top available upon request
- Overall thickness of 1.96"



Workshop top with steel edges

- Plastic top
- Grey plastic surface
- Galvanized steel moulding in the front edge
- Plywood and chipboard core
- Threaded bushings for attaching legs and drawer units
- Overall thickness of 1.96"



Workshop Shop Top

- Industrial grade particle board surface with medium-density fiberboard (MDF) or lumber core
- Lacquer finish
- Overall thickness of 1 1/2", 3/8" radius top and bottom front edges



Workshop maple top

- Maple hardwood surface with chamfered edges
- Thickness of 1 3/4 inches.

Workshop bench tops

Bench top Size W x D in	Steel top .059"	Max load lbs	PVC top with steel edges	Max load lbs	ShopTop	Max load lbs	Maple Top	Max load lbs
40" x 30"	836720-74	1650	836723-79	1650	14-9784104	1100	14-9650011	1100
60" x 30"	836721-74	1650	836724-79	1650	14-9784106	1100	14-9650013	1100
80" x 30"	836 736-74 •	1650			14-9784108	1100	14-9650015	1100
88.58" x 30"	836722-74	1100	836725-79	1100				
96" x 30"					14-9784115	1100	14-9650016	1100

Workshop legs

Name	Height in*	Order No
Adjustable H-leg (1 pc)	27.55-37.40	836664-49
Fixed H-leg (1 pc)	31.49	836303-49
Adjustable H-leg for castors (1 pc)	30.91 - 39.37	836029-49
Swivel castor with brake** (1 pc)	Ø6.3"	900041-00
Fixed castor** (1pc)	Ø6.3"	900040-00

* Height without bench top (including 6.3" castors).

** Load capacity: 1100 lbs for benches 39.37" and 59.06" wide, 660 lbs for benches 78.74" and 88.58" wide.



Legs with castors are also available

Workshop Options

Spacer bar for Workshop bench

Spacer bar is used to stabilize the bench. It is necessary if the bench consists of only legs and bench top.

width inches	Order No
39.37-59.05	852694-49
59.05-88.58	836451-49

Upright attachment frame

Upright attachment frame is needed if the table is configured with slotted uprights. Replaces the spacer bar. Module spacing between mounting locations.

width inches	Order No
39.37	852693-49
59.05	860375-49
78.74	860725-49
88.58	860376-49

Lower shelves for the Workshop bench

Not enough space above the workstation? Utilize the space below. The lower shelf for the Workshop bench simply hangs on the horizontal bars.

name	size W x D inches	max lbs	Order No
Lower shelf for adjustable leg for table 60	53.93 x 29.51	440	92449012
Lower shelf for fixed leg for table 60	53.93 x 29.51	440	92449014
Lower shelf for adjustable leg for table 40	34.25 x 25.51	440	92449020
Lower shelf for fixed leg for table 40	34.25 x 25.51	440	92449021
Lower shelf for adjustable leg for table 80	73.62 x 29.51	220	92449013
Lower shelf for fixed leg for table 80	73.62 x 29.51	220	92449015
Lower shelf for adjustable leg for table 88	83.46 x 29.51	220	92449016
Lower shelf for fixed leg for table 88	83.46 x 29.51	220	92449018

The lower shelves include a backstop.



The Workshop bench can be fitted with a lower shelf for bulky items.



Structure of the bench top

For us, the bench top is an important part of a bench's structure. For example, the Workshop bench top is designed for very heavy loads. Because of the bench top's structure, the bench is very sturdy, even with the highest loads. The feet and the drawers are attached to the threaded bushings in the bench tops.

See pages 48-87 for our wide range of workstation accessories.



Cornerstone® workbenches

Cornerstone® worktables are standard tables that are suitable for a broad range of tasks, including but not limited to: testing, packing, repairing, inspecting. The Cornerstone® table is rated for regular use with weights up to 2000 Lbs. This degree of strength is achieved by using a solid table structure. The slotted upright frame allows for the use of different accessories.

Manual height adjustment

The height of our Cornerstone® range can be adjusted from 24.75 to 37.64 inches, in 1 inch increments, making these tables suitable for work while sitting or standing.




- 4-legged steel structure
- High load capacity for even the toughest environments
- Easily equipped with accessories



- = products in stock with quick shipping time (1-2 weeks)
- = products that are not stocked but have shorter delivery times (3-4 weeks)

Designing Cornerstone® workstations

Cornerstone® workstations are available in several sizes and combinations. Accessories can be added to optimize functionality and increase usability. See pages 40-63 for accessories.



Cornerstone® workstation frames



Please see product specification on page 132 for more dimensions.

Cornerstone® workstation frame


frame size D x W inches	max load lbs, evenly loaded	Order No.
30 x 48	2000	CS712-49
30 x 60	2000	CS715-49
30 x 72	2000	CS718-49
24" depth kit		CSD60-49
36" depth kit		CSD90-49
The height is adjustable from 24.75 to 37.64 inches including glide and top.		
*Depth kits for 24" and 36" sold separately.		

Cornerstone® worksurfaces



Postformed worksurface

- Grey laminate surface
- Postformed front edges
- Thickness of 1 3/16 inches.



Shop Top worksurface

- Industrial grade particle board surface with medium-density fiberboard (MDF)
- Lacquer finish
- Overall thickness of 1 1/2", 3/8" radius top and bottom front edges

Cornerstone® worksurfaces

worktable frame Size D x W inches	non-ESD Postformed Order No	ShopTop Order No
24 x 48	14-9684103 •	14-9784101 •
24 x 60	14-9684104 •	14-9784102 •
24 x 72	14-9684105 •	14-9784103 •
30 x 48	14-9684110 •	14-9784105 •
30 x 60	14-9684111 •	14-9784106 •
30 x 72	14-9684112 •	14-9784107 •
36 x 48	14-9684117 •	14-9784110 •
36 x 60	14-9684118 •	14-9784111 •
36 x 72	14-9684119 •	14-9784112 •

See additional work surface options on page 38.



Cornerstone® benches can be equipped with casters! See page 42.

ESD Caster set Ø 3.94" Order No 860429 -00

Caster set Ø 3.94" Order No 834734 -00

Load capacity with castors 660 lbs.

- = products in stock with quick shipping time (1-2 weeks)
- = products that are not stocked but have shorter delivery times (3-4 weeks)

Cornerstone® accessories



Slotted upright modules and compatibility

	Order No l = 53.5" h = 42.32"	Order No l = 62.28" h = 51.18"
1 x M48	14-9074901 •	14-907490 •
1 x M60	14-9074908 •	14-9074912 •
1 x M72	14-9074909 •	14-9074913 •
2 x M30	90349001P •	90349002P •
2 x M36	90449001P •	90449002P •

h = module's height attached from the worksurface

Drawer Mounting Brackets

Frame width	Order No
48"	CSDB120-49
60"	CSDB150-49
72"	CSDB180-49

Drawer brackets will support third party drawer units.


Lower Steel Shelf for Cornerstone

Description	Order No
40.94" x 18.11"	LSSCS120
55.83" x 18.11"	LSSCS150
67.64" x 18.11"	LSSCS180

Hangs on horizontal bars. Max load 66 lbs.

Dividers for Lower Shelf

Description	Order No
Divider set - 4 pcs 18.11" x 12.4"	LDH



See page 40 for our wide range of workstation accessories.



TP workbenches

The classically designed TP workbench is the ideal basic bench, the simplest and the most cost-effective option in our range of workbenches. TP workbenches are standard benches that are suitable for a broad range of tasks and environments when fitted with accessories: testing, packing, repair, inspection. TP bench is rated for loads up to 660 lbs.

Designed for use in today's production and assembly environments, this definitive modular system, developed over more than 35 years, provides a high quality working environment. Customize your workstation to your own requirements.

Stepless height adjustment

The height of workbenches in our TP range can be steplessly adjusted from 25.6" to 35.4", which makes these benches suitable for work while sitting or standing.




- Steel structure
- A cost-effective work bench option
- Easy to equip with a variety of accessories



WATCH THIS ANIMATION showcasing the versatile usage options of our technical furniture: TP | <https://youtu.be/W3Ptxcxphrc>


Designing TP workstations

TP workstations are available in several sizes, with ESD and nonESD options. Uprights and accessories can be added to optimize functionality and increase usability. See pages 42-73 for accessories.




TP Workstation

Order No C12041302 •



TP workbenches

- Stepless height adjustment with allen-key between 25.6" -35.4".
- Frames are of epoxy powder coated steel in grey RAL 7035.
- Slotted uprights (ordered separately) allow to attach a wide range of accessories. Accessory frame required for slotted uprights.
- Worksurfaces included.



Laminate bench top

- 1" low pressure laminate
- Light grey surface
- Plastic edging



ESD bench top

- Grey laminate surface
- Grey edging
- Thickness 1"
- Static-dissipative (ESD)



Accessory frame



The TP bench can be equipped with casters! See page 42.

Caster set Ø3.94" Order No 834734 -00
Caster set Ø3.94" ESD Order No 860429 -00
Load capacity with casters 660 lbs.

TP workbench with worksurface

Bench size W x D inches	Max load lbs	Order No	Order No ESD
27.6" x 19.7"	330	TP2030	TP2030ESD
39.4" x 19.7"	330	TP2040	TP2040ESD
59.1" x 19.7"	330	TP2060	TP2060ESD
39.4" x 27.6"	660	TP3040	TP3040ESD
47.2" x 27.6"	660	TP3048 •	TP3048ESD •
59.1" x 27.6"	660	TP3060 •	TP3060ESD •
70.9" x 27.6"	660	TP3072 •	TP3072ESD •
59.1" x 35.4"	660	TP3660	TP3660ESD
70.9" x 35.4"	660	TP3672	TP3672ESD

Lower shelf for TP

Not enough space above the workstation? Then utilize the space below. The lower shelf for TP bench simply hangs on the horizontal bars.

Name	Size W x D inches	Max load lbs	Order No
Lower shelf	42.5" x 19.7"	110	AT120TPH
Lower shelf	54.3" x 19.7"	110	AT150TPH
Lower shelf	66.1" x 19.7"	110	AT180TPH

Accessory frame

Bench frame width in	upright module compatibility	Order No
39.37"	1 x M36	TPK10-49 •
47.2"	1 x M30, 1 x M36, 1 x M48	TPK12-49 •
59.1"	1 x M60, 2 x M30	TPK15-49 •
70.9"	1 x M72, 2 x M36	TPK18-49 •

Upright tubes or the upright tube module are always attached to TP bench with an accessory frame. The accessory frame cannot be used in line or with corner extensions.



Accessories on page 43

TP bench with upright tubes can be equipped with a variety of accessories.

TP extension benches

TP line extension

Each standard TP bench may also be supplied as a line extension. Fitted to side of main bench.

Bench size W x D in	Max load lbs	Order No	Order No ESD
39.4" x 27.6"	330	TP3040L	TP3040LESD
47.2" x 27.6"	330	TP3048L	TP3048LESD
59.1" x 27.6"	330	TP3060L	TP3060LESD
70.9" x 27.6"	330	TP3072L	TP3072LESD
59.1" x 35.4"	330	TP3660L	TP3660LESD
70.9" x 35.4"	330	TP3672L	TP3672LESD

TP angle extension

Each standard TP bench may also be supplied as an angle extension. Fitted to front angle of main bench.

Bench size W x D in	Max load lbs	Order No	Order No ESD
39.4" x 19.7"	330	TP2040K	TP2040KESD
47.2" x 27.6"	330	TP3048K	TP3048KESD

TP corner workbench

A corner workbench can be used with two TP benches (with one H-frame pair) to create a 90° angle setup.

Bench size W x D in	Max load lbs	Order No	Order No ESD
43.3" x 43.3"	330	TP4343KK	TP4343KKESD
51.2" x 51.2"	330	TP5151KK	TP5151KKESD

SAP cart

Construction as TP bench. Height adjustment with allen key between 25.59-35.43". Swivel casters (Ø 3.94"), two of which have brakes. Load capacity 330 lbs. Lower shelf and push handle available separately.

Name	Size W x D inches	Max load lbs	Order No	Order No ESD
Cart	27.56" x 19.69"	330	SAP507	SAP507ESD
Cart	39.37" x 27.56"	330	SAP710	SAP710ESD
Cart	59.06" x 27.56"	330	SAP715	SAP715ESD
Lower shelf	27.56" x 19.69"	88	AT507	AT507ESD
Lower shelf	39.37" x 27.56"	88	AT710	AT710ESD
Handle	depth 19.69"		PUSH50	PUSH50
Handle	depth 27.56"		PUSH70	PUSH70




* Workbench with one H-frame pair.

This unit consists of a worktop, two side frames and a leg in the middle. Front side 22.2".



SAP cart with AT lower shelf and PUSH handle.

Accessories



The modular (M) size refers to the distance between two upright tubes from the middle of the tube. The modular size is used to find the appropriate accessories.

Upright tubes are the basic element for accessorising our industrial furnishings. Accessories are attached to TP and Workshop benches with the aid of upright tubes or a pre-assembled, upright tube module. The module includes upright tubes, horizontal tube/tubes, corner bracket pair and straight bracket (if module has more than one horizontal tube). The upright tubes or the upright tube module are attached to the back of the TP bench with accessory frame (ordered separately).

Upright tubes

Name	Size in	Length (l) in	Order No
Upright tube	1.18" x 2.36"	19.69"	860991-49
Upright tube	1.18" x 2.36"	31.5"	860142-49
Upright tube	1.18" x 2.36"	39.21"	860367-49
Upright tube	1.18" x 2.36"	53.5"	860024-49
Upright tube	1.18" x 2.36"	62.3"	860025-49
Upright tube pair*	1.18" x 1.18"	48"	854038-49

* Used in the service cart (page 48).

Horizontal tube	M20	860819-49
Horizontal tube	M30	847402-49
Horizontal tube	M36	840104-49
Corner bracket pair		848336-49
Straight bracket		851827-49

Upright tubes and compatibility

	Bench width					
	40"	48"	60"	72"	80"	96"
1 x M30	W	TP	W		W	W
1 x M36	W	TP	W		W	W
1 x M48		TP				
1 x M60			TP/W		W	W
1 x M72				TP	W	W
2 x M20	W		W		W	W
2 x M30			TP/W		W	W
2 x M36				TP	W	W
3 x M20			W		W	W
3 x M30						W
4 x M20					W	

W = Workshop


Slotted upright modules and compatibility

	Order No l = 53.5" h = 42.32"	Order No l = 62.28" h = 51.18"
1 x M30	90049001P •	90049002P •
1 x M36	90149001P •	90149002P •
1 x M48	14-9074901 •	14-907490 •
1 x M53	14-9074910 •	14-9074911 •
1 x M60	14-9074908 •	14-9074912 •
1 x M72	14-9074909 •	14-9074913 •
2 x M20	90249001 •	90249002 •
2 x M30	90349001P •	90349002P •
2 x M36	90449001P •	90449002P •
3 x M20	90549001 •	90549002 •
4 x M20	90649001 •	90649002 •

h = module's height attached from the work surface

Balancer Rails and Accessories

Tool balancer rails and sliding hooks facilitate the use of heavy equipment. A tool balancer is attached either to the light/balancer rail, or on a balancer arm attached directly to the upright tube.



Light/balancer rail

Module Size	Width of the front profile (inches)	Max lbs	Order No
M20	18.50"	33	14-9184948
2 X M20	39.37"	33	91849001P
2 x M20/59.05	59.05"	33	91849002P
3 x M20	59.05"	33	91849006 •
4 x M20	78.74"	33	91849003P
M30	29.52"	33	91849004P •
M30/36	35.43"	33	91849013P
M30/48	47.24"	33	14-9184902 •
M30/59.05	59.05"	33	91849005P •
2 x M30	59.05"	33	91849006P •
M36	35.43"	33	91849007P •
2 x M36	70.86"	33	91849008P •
M36/48	47.24"	33	14-9184903 •
M36/59.05	59.05"	33	91849009P •
M40	39.37"	33	91849001
M48	47.24"	33	91849010P •
M53	53.14"	33	91849011P
M60	59.05"	33	91849006 •
M72	70.86"	33	91849008 •

Includes one sliding piece.

Tool balancers and other supplies

Description	Tool weight lbs	Order No
Tool balancer	0.5 - 1.5	14-9600009 •
Tool balancer	1.5 - 3.0	14-9600010 •
Balancer arm	17.6	846678-49
Sliding piece		940453-00 •
Rail extension bracket		860074-49

Power rails



Horizontal Power rail

Description	No Surge Order No	Surge Order No
M20 Bin rail w/6 outlet power	14-9114901 •	14-9114902 •
M30 Bin rail w/6 outlet power	14-9114905 •	14-9114906 •
M30 Bin rail w/12 outlet power	14-9114907 •	14-9114908 •
M36 Bin rail w/6 outlet power	14-9114910 •	14-9114911 •
M36 Bin rail w/12 outlet power	14-9114912 •	14-9114913 •
M40 Bin rail w/6 outlet power	14-91149293	14-91149267
M40 Bin rail w/12 outlet power	14-91149326	14-91149327
M48 Bin rail w/6 outlet power	14-9114915 •	14-9114916 •
M48 Bin rail w/12 outlet power	14-9114917 •	14-9114918 •
M60 Bin rail w/6 outlet power	14-9114919 •	14-9114920 •
M60 Bin rail w/12 outlet power	14-9114921 •	14-9114922 •
M72 Bin rail w/6 outlet power	14-9114923 •	14-9114924 •
M72 Bin rail w/12 outlet power	14-9114925 •	14-9114926 •


20 Amp and special plug types available upon request.

- = products in stock with quick shipping time (1-2 weeks)
- = products that are not stocked but have shorter delivery times (3-4 weeks)

Upright accessories



LCD-holder & keyboard tray




Document holder




Curved bin rail with arm



Extension for curved bin rail with arm



Tool panel



Rotating tool panel with perforated panel and R-hooks

IT shelves and trays

Name	Size W x D in	Max load lbs	Order No
LCD holder with double arm		33	93049002P
Keyboard tray for LCD holder	18.9" x 10.24"	11	860941-49
Keyboard and mouse tray for LCD holder	24.41" x 10.24"	11	860942-49

Document holders

Name	Size W x D in	Max load lbs	Order No
Document holder A4	11.42" x 13"	11	92849008P
Document holder A3	16.46" x 13"	11	92849009P

Bin rails with arms

Name	Size W x D in	Max load lbs	Order No
Curved bin rail with arm	30.31" x 2.13"	33	92949002P
Extension for curved bin rail with arm	30.31" x 2.13"		860911-49

Tool panel

Name	Size W x D in	Max load lbs	Order No
Tool panel	10.51" x 12"	11	92849 010P

Rotating tool panels


Name	Size W x D in	Max load lbs	Order No
Rotating tool panel, height-adjustable arm	20.2" x 12.6"	33	860864-49P
Rotating tool panel, double arm	20.2" x 12.6"	33	880865-49P
Perforated panel	18.5" x 11.81"		860951-49
Tool trough M20	18.5" x 5.91"		860952-49
Bin rail M20	19.37" x 3.54"	110	859150-49
Light bin rail M20	19.37" x 2.13"	22	860953-49

Plastic boxes, hooks and tools in pictures are not included.



Rotating tool panel

The rotating tool panel can be equipped with perforated panels and tool troughs. The rotating tool panel is compatible with all M20 accessories, such as the tool trough and the suspension rails.



Shelves

Shelves

Name	Module	Size W x D in	Max load lbs	Order No
Steel shelf	M20	19.29" x 11.81"	110	860804-49
Steel shelf	M20	19.29" x 15.75"	110	860805-49
Tiltable top shelf	M20	18.39" x 11.81"	176	TTSM203-49
Tiltable top shelf	M20	18.39" x 15.75"	176	TTSM204-49
Steel shelf	M30	29.13" x 11.81"	110	836028-49
Steel shelf	M30	29.13" x 15.75"	110	852770-49
Tiltable top shelf	M30	28.23" x 11.81"	176	TTSM303-49
Tiltable top shelf	M30	28.23" x 15.75"	176	TTSM304-49
Steel shelf	M36	35.04" x 11.81"	110	852 283-49
Steel shelf	M36	35.04" x 15.75"	110	852 769-49
Tiltable top shelf	M36	34.25" x 11.81"	176	TTSM363-49
Tiltable top shelf	M36	34.25" x 15.75"	176	TTSM364-49
Steel shelf	M40	38.98" x 11.81"	110	890631-49
Steel shelf	M40	38.98" x 15.75"	110	890632-49
Tiltable top shelf	M40	38.07" x 11.81"	176	TTSM403-49
Tiltable top shelf	M40	38.07" x 15.75"	176	TTSM404-49
Tiltable top shelf	M48	45.94" x 11.81"	176	TTSM483-49
Tiltable top shelf	M48	45.94" x 15.75"	176	TTSM484-49
Tiltable top shelf	M60	57.76" x 11.81"	176	TTSM603-49
Tiltable top shelf	M60	57.76" x 15.75"	176	TTSM604-49
Tiltable top shelf	M72	69.80" x 11.81"	176	TTSM723-49
Tiltable top shelf	M72	69.80" x 15.75"	176	TTSM724-49




Steel shelf M20, M30, M36



Tiltable top shelf M20, M30, M36



Tiltable top shelf M40, M48, M60, M72



Divider pair

Divider pair for shelves M20, M30 and M36

Name	Size D x H in	Order No
Divider pair	11.22" x 7.48"	010004-49
Divider pair	15.16" x 7.48"	010005-49

Divider pair for shelves M40, M48, M60 and M72

Name	Size D x H in	Order No
Divider pair	11.22" x 7.48"	861116-49
Divider pair	15.16" x 7.48"	861118-49

Small storage solutions

Name	Module	Size W x D x H in	Max load lbs	Order No
Perforated tool cabinet	M20	18.50" x 9.84" x 23.62"	44	854039-07
Perforated tool cabinet	M30	28.35" x 10.04" x 35.43"	132	852629-07
Shelf for M30 perforated tool cabinet		28.15" x 6.89" x .59"	22	836273-49
Personal safety equipment cabinet*	M30	28.35" x 12.99" x 35.43"	132	860987-07
File cabinet with two shelves	M30	28.35" x 12.99" x 35.43"	132	860980-49
PC/folder box, fitted to upright tube		5.12" x 11.42" x 12.99"	11	860983-49

* Includes energyrail with schuko plug and outlets.



Perforated tool cabinet



Personal safety equipment cabinet (includes energyrail with Schuko plug and outlets).



Sliding door cabinet



File cabinet with two shelves



PC/folder box




Lighting ergonomics

Lighting is a vital part of ergonomic workspaces in industrial environments. Light allows people to see and perform tasks better as well as affecting their personal wellbeing and health.

Individually adjustable, natural workstation lighting means more productivity

Investing in individually controllable task lighting on workstations benefits both the employees and the employer. Employees feel more motivated as they can adjust brightness to best suit themselves and the task at hand. This can lead to increased productivity, reduced errors and less absence, which normally affect the company's profitability.



Graph of light Illuminance

Lighting standard sets the expectations

When designing workstations and their lighting, we observe the recommendations of the EN 124641 standard on indoor workplace lighting. The illuminance levels set by standards are average values, but going beyond those is often reasonable. It is especially beneficial to increase the high-quality lighting for employees over 45 years old.

Optical ergonomics need attention

Optical ergonomics require the viewed object to be at a suitable distance and location, in order to maintain an acceptable amount of eye movement, ensuring that the details can be seen without problems. Also, adequate and glare-free lighting is important. When these conditions apply and the working position is well adjusted, saving time and money due to fewer absences and decreased stress can be expected.

Benefits of proper adjustable lighting in industrial environments include


- Increased productivity
- Reduced number of errors
- Decreased absenteeism
- Increased well-being of the employees

LED Lighting

Treston's dual intensity LED light fixtures feature a **High/Low/Off switch that allows the user to control the amount of light used.** They can easily be attached to light balancer rails, shelves, and other surfaces. Optional magnetic mounting bracket for attaching the light fixture to a metal shelf allows for greater functionality and maneuverability. A pipe mounting bracket has also been introduced for attachment to benches from other manufacturers. LED light fixtures are a great addition to any workstation or workplace, where energy efficiency, durability, and longevity are important factors. LEDs boast a long life span, 10x longer than traditional florescent lamps, and use up to 90% less power than traditional lighting. Treston LED lights have a lifespan of up to 100,000 hours (11 1/2 years powered 24 hrs/day).

Features

- High/Low/Off switch
- Light balancer rail hardware and power cord included
- Easy attachment to light balancer rails, shelves, and other surfaces
- Optional magnetic mount for attachment to metal surfaces
- Daisy Chain up to 10 fixtures with 1 power source
- Lengths available: 24", 36", and 48"
- Operating voltage: 90 to 264 V ac (50 or 60 Hz), Power factor > 0.95 on high setting at 120 V ac
- Lumen output: 600 (±5%) per foot, typical at 25 °C (77 °F)
- Light color: Daylight white
- Color temperature (CCT): 5000K (±300K)
- Power cord contains simple 3-prong plug, no transformer required
- Swivel bracket available for positioning light throughout workspace
- Built-in skirt/shield keeps light focused on the work space and out of the user's eyes



Overhead Mount Option



Shown with swivel and magnetic brackets, mounted underneath Treston steel shelf.




Swivel Mount Option

LED Lights

Configuration	Description	Dimensions	Power	Order No
Dual - Shield	24" dual intensity LED light fixture, built in shield, light balancer rail hardware	22.44" x 1.26" x 1.81"	1200LM200K	14-95035171
Dual - Shield	36" dual intensity LED light fixture, built in shield, light balancer rail hardware	33.46" x 1.26" x 1.81"	1800LM200K	14-95035172
Dual - Shield	48" dual intensity LED light fixture, built in shield, light balancer rail hardware	44.48" x 1.26" x 1.81"	2400LM200K	14-95035173
Dual Magnetic - Shield	24" dual intensity LED light fixture, built in shield, with magnetic attachment	22.44" x 1.26" x 1.81"	1200LM200K	14-95035174
Dual Magnetic - Shield	36" dual intensity LED light fixture, built in shield, with magnetic attachment	33.46" x 1.26" x 1.81"	1800LM200K	14-95035175
Dual Magnetic - Shield	48" dual intensity LED light fixture, built in shield, with magnetic attachment	44.48" x 1.26" x 1.81"	2400LM200K	14-95035176
Hardware	Cascade cable for dual LED lights	6"L	----	14-95035161
Hardware	Cascade cable for dual LED lights	12"L	----	14-95035162
Hardware	Cascade cable for dual LED lights	36"L	----	14-95035163
Hardware	Magnetic hardware kit for dual LED lights	----	----	14-95035160
Hardware	Swivel mounting bracket for dual LED lights	----	----	14-95035159
Hardware	UniFit Universal Light mounting hardware kit (to attach light to other bench mfg)	----	----	14-95035110


Stacking bins and shelf bins



Bin rail M30 with brackets and blue stacking bins.



Light bin rail M30 with brackets and red stacking bins.



Another way of ensuring an ergonomic working position and saving space is to use bin rails. The higher the rails are, the further they are from the workstation. To ensure an ergonomic working position, use the extension bracket pair on the higher rails. The bin rails are available in six standard module sizes.

Bin rails

Name	Suitable for module	Size W x D in	Max load lbs	Order No
Bin rail	M20	19.37" x 3.54"	110	859150-49
Light bin rail *	M20	19.37" x 2.12"	22	860953-49
Bin rail	M30	29.21" x 3.54"	110	859151-49
Light bin rail *	M30	29.21" x 2.12"	22	860955-49
Bin rail	M36	35.23" x 3.54"	110	859152-49
Light bin rail *	M36	35.23" x 2.12"	22	860956-49
Bin rail	M40	39.37" x 3.54"	110	859156-49
Bin rail	M48	47.04" x 3.54"	110	859157-49
Bin rail	M53	52.75" x 3.54"	110	859153-49
Bin rail	M60	58.89" x 3.54"	110	859154-49
Bin rail	M72	70.66" x 3.54"	110	859155-49
Extension bracket pair		2.36" depth	110	860919-49

* Suitable only for picking bins 30-1L, 30-2L and 30-23L.

Stacking bins

Our stacking bins have been designed for daily use in stores, production facilities and warehouses. These bins have been designed to fit all standard metric shelves and industrial workstations. Bins of the same width stack securely, even if they are of different depths. Straight sides ensure an efficient use of space.

Stacking bins

No.	Capacity l	Outer dims W x D x H in	Inner dims W x D x H in	Pack pcs	Order No* blue	Order No* red	Order No* ESD black	Labels and cross dividers		
1.	0.6	4.13 x 6.5 x 2.95	3.54 x 4.13 x 2.56	60	1015-6	1015-5	1015-4ESD	E10	60	
	2.7	5.87 x 9.84 x 5.12	4.92 x 7.28 x 4.53	30	1525-6	1525-5	1525-4ESD	E15	30	V-14
	5.0	7.32 x 11.81 x 6.14	6.1 x 9.1 x 5.5	24	1930-6	1930-5	1930-4ESD	E20	24	V-19
	7.2	7.32 x 15.75 x 6.14	6.1 x 13 x 5.5	24	1940-6	1940-5	1940-4ESD	E20	24	V-19
2.	1.1	3.9 x 6.3 x 2.8	3.3 x 3.94 x 2.4	60	30-1L-6		30-1L-4ESD			
	2.2	7.8 x 6.3 x 2.8	6.9 x 3.94 x 2.4	30	30-2L-6		30-2L-4ESD			
	2.2	7.8 x 6.3 x 2.8	6.9 x 3.94 x 2.4	30	30-23L-6		30-23L-4ESD			
			(2 fixed length dividers)							

*) Order No/one item. All bins are also available in grey color (color code -3).

Fixing stacking bins on the bin rail

Bin rail	M20	M30	M36	M53	M60	M72	Curved bin rail
1015	4	7	8	12	14	17	
1525	3	5	6	9	10	12	
1930 & 1940	2	4	4	7	8	9	
30-1L	5	7	9	13	15	17	5
30-2L & 30-23L	2	3	4	7	7	9	



Shelf bins

Self bins are designed to fit all standard metric shelves, cabinets and industrial workstations.

Bins of the same width stack securely, even if they are of different depths. Straight sides ensure an efficient use of space, and the bins are available in several bright colours to facilitate product identification. Each drawer comes with a label and protective cover.



Shelf bins

Capacity l	Outer dims W x D x H in	Inner dims W x D x H in	Pack pcs	Order No*			Cross dividers	
				blue	red	ESD black	Order No*	Number /bin
1.9	3.6 x 15.75 x 3.2	2.95 x 14.06 x 2.76	30	4010-6	4010-5	4010-4 ESD	D-10	6
2.4	3.6 x 19.69 x 3.2	2.95 x 18 x 2.76	30	5010-6	5010-5	5010-4 ESD	D-10	8
4.2	7.3 x 15.75 x 3.2	6.57 x 14.06 x 2.76	15	4020-6	4020-5	4020-4 ESD	D-20	6
5.3	7.3 x 19.69 x 3.2	6.57 x 18 x 2.76	15	5020-6	5020-5	5020-4 ESD	D-20	8
6.5	7.3 x 23.62 x 3.2	6.57 x 21.93 x 2.76	15	6020-6	6020-5	6020-4 ESD	D-20	10

*) Order No/one items. All bins are also available in grey color (color code -3).





Chairs





High-performance industrial chairs with a 10 year warranty

The new Treston chair range offers high-performance seating solutions with maximum customer benefit for any industrial and technical working environment. Our high-quality technical products fulfill the highest requirements, offer outstanding value for money and meet the requirements of various workplaces – from production and packaging to standing work, ESD areas and R&D environments.

Industrial workplaces require industrial chairs

Ergonomically sound chair is a vital part of the well-functioning, ergonomic and user-friendly workstation. Good sitting enables effective and appropriate movements, reduces postural fixity and enables good and relaxed working postures. The ergonomic requirements of workplace chairs in industrial and technical environments are inherently different to those of other areas, such as office. The jobs carried out at manufacturing workstations may involve force, precision skills and repetitive movements, and thus the workplace chair must adapt perfectly to these tasks and working environments in order to support the workers – and their well-being- in the best possible way.

Six models with 36 variations

The new chair range consists of six different models: Multi-purpose Treston Ergo, Treston Plus with an all-inclusive ergonomic package, new generation workplace chair Neon with changeable upholsteries, Flex for standing work, Stool for assistance in workshops and Saddle chair for alternative way of sitting. In addition, there are three surfaces/upholsteries to choose from: a highly resistant polyurethane, comfortable fabric and easy-to-care artificial leather, making it is easy to find the most suitable chair for the working environment from our 36 chair variations.

Safe, sound and economic solution

Treston chairs ensure safety in the workplace by fulfilling the requirements of DIN 68877 and by carrying the GS safety mark, and in addition, our ESD chairs are in compliance with EN 61340-5-1. Besides being safe and ergonomic, our chair selection has a full 10 year warranty*. The Treston chair range is a safe, sustainable and economic solution for industrial seating.



Find more information about ergonomic sitting from our separate brochure!
www.treston.us/literature



Treston Ergo

Multipurpose chair for almost any application in the industry

- User-friendly and quick adjustability
- Excellent price-performance ratio
- Large, ergonomically designed seat and backrest and lumbar support



Treston Plus

The all-inclusive ergonomic package

- Best possible adjustment to body size
- Supports the body in every position
- For any work situation



Neon

New generation workplace chair

- All the same adjustments and features as in ErgoPlus
- In addition changeable upholstery and flex strip for protection of the chair and its environment



Flex standing rest

For best support in standing work and combined workplaces

- 360° rotation of the seat, easy height adjustment of foot ring
- Space saving
- Slip resistant seat



Stools


- Optimal assistance in workshop and heavy duty applications
- Adjustment for seat height



Saddle chairs


- Freedom of movement with ergonomic sitting position
- Adjustment for seat height and seat tilt





Treston Ergo chair **with fabric upholstery**

	Treston Ergo 30	Treston Ergo 30 ESD	Treston Ergo 35	Treston Ergo 35 ESD
Description	With soft dual-wheel safety casters (conductive with ESD versions) with load-sensitive brakes.		High version with foot ring and glides (conductive with ESD versions).	
Upholstery	The high-quality fabric upholstery is breathable and can both absorb and expel moisture.			
Order No	C30BL	C30BL-ESD	C35BL	C35BL-ESD




Treston Ergo chair **with artificial leather upholstery**

	Treston Ergo 30 AL	Treston Ergo 30 AL ESD
Description	With soft dual-wheel safety casters (conductive with ESD versions) with load-sensitive brakes.	
Upholstery	Artificial leather upholstery is washable, resistant to disinfectants and easy to care.	
Order No	C30AL	C30AL-ESD



Treston Ergo chair **with polyurethane foam (PU)**

	Treston Ergo 20 PU	Treston Ergo 20 PU ESD	Treston Ergo 25 PU	Treston Ergo 25 PU ESD
Description	With soft dual-wheel safety casters (conductive with ESD versions) with load-sensitive brakes.		High version with foot ring and glides (conductive with ESD versions).	
Upholstery	The PU surface is highly resistant, extremely robust, washable and very easy to clean.			
Order No	C20PU	C20PU-ESD	C25PU	C25PU-ESD



Treston Plus chair **with fabric or artificial leather upholstery**

	Treston Plus 40 BL	Treston Plus 40 BL ESD	Treston Plus 40 AL	Treston Plus 40 AL ESD
Description	With soft dual-wheel safety casters (conductive with ESD versions) with load-sensitive brakes			
Upholstery	Black fabric	Black fabric ESD	Artificial leather	Artificial leather ESD
Order No	C40BL	C40BL-ESD	C40AL	C40AL-ESD



Neon chair **with fabric upholstery**

	Neon 50 ESD
Description	With conductive soft dual-wheel safety casters with load-sensitive brakes.
Upholstery	Black fabric ESD, grey flex strip
Order No	C50BL-G-ESD



Flex standing rest **with polyurethane foam (PU)**

	Flex 19	Flex 19 ESD
Description	High version with foot ring and glides (conductive with ESD versions).	
Upholstery	The PU surface is highly resistant, extremely robust, washable and very easy to clean.	
Order No	C19PU	C19PU-ESD




Stool with polyurethane foam (PU) or artificial leather

	Stool PU	Stool AL-ESD
Description	With soft dual-wheel safety casters (conductive with ESD versions) with load-sensitive brakes	
Upholstery	Polyurethane PU	Artificial leather ESD
Order No	C15PU	C15AL-ESD




Saddle chair with fabric or (artificial) leather upholstery

	Saddle B	Saddle G ESD	Saddle AL ANTIB	Saddle AL ESD	Saddle L
Description	With soft dual-wheel safety casters (conductive with ESD versions) with load-sensitive brakes				
Upholstery	Blue fabric	Grey fabric ESD	Antibacterial artificial leather	Artificial leather ESD	Leather
Order No	SADDLE B	SADDLE G ESD	SADDLE AL ANTIB	SADDLE AL ESD	SADDLE L




Seat height



Seat tilt



Seat depth



Backrest height



Weight regulation



Permanent contact backrest



Synchronous mechanism

Adjustments and features	Treston Ergo	Treston Plus	Neon	Stool	Saddle chair	Flex – standing rest
Seat height	✓	✓	✓	✓	✓	✓
Seat tilt	✓	✓	✓		✓	
Seat depth		✓	✓			
Backrest height	✓	✓	✓			
Contact backrest	✓					
Synchro mechanism		✓	✓			
Arm rests as an option	✓	✓	✓			
Changeable upholstery			✓			

Order No	Description / Upholstery / Color	Martindale	Seat height, in *	Seat width, in	Seat depth, in	Backrest height, in	Weight, lb
Stools							
C15PU	Stool 15 polyurethane black		18.11"-24.8"	13.78"	13.78"		15
C15AL-ESD	Stool 15 artificial leather black ESD	50.000	18.11"-24.8"	15.57"	15.57"		17.6
Flex standing rests							
C19PU	Flex 19 polyurethane black		20.08"-30.71"	14.17"	14.96"	7.87"	28.7
C19PU-ESD	Flex 19 polyurethane black ESD		20.08"-30.71"	14.17"	14.96"	7.87"	28.7
Treston Ergo chairs							
C20PU	Treston Ergo 20 polyurethane black		17.32"-24.41"	17.32"	16.14"	14.96"	25.4
C20PU-ESD	Treston Ergo 20 polyurethane black ESD		17.32"-24.41"	17.32"	16.14"	14.96"	30
C25PU	Treston Ergo 25 polyurethane black		22.83"-33.46"	17.32"	16.14"	14.96"	30
C25PU-ESD	Treston Ergo 25 polyurethane black ESD		22.83"-33.46"	17.32"	16.14"	14.96"	33
C30AL	Treston Ergo 30 artificial leather black	50.000	17.32"-24.41"	18.11"	18.5"	18.11"	26.5
C30AL-ESD	Treston Ergo 30 artificial leather black ESD	50.000	17.32"-24.41"	18.11"	18.5"	18.11"	28.7
C30BL	Treston Ergo 30 fabric black	50.000	17.32"-24.41"	18.11"	18.5"	18.11"	26.5
C30BL-ESD	Treston Ergo 30 fabric black ESD	40.000	17.32"-24.41"	18.11"	18.5"	18.11"	28.7
C35BL	Treston Ergo 35 fabric black	50.000	22.83"-33.46"	18.11"	18.5"	18.11"	31
C35BL-ESD	Treston Ergo 35 fabric black ESD	40.000	20.87"-31.5"	18.11"	18.5"	18.11"	33
Treston Plus chairs							
C40AL	Treston Plus 40 artificial leather black	50.000	17.72"-23.62"	18.11"	16.14"-18.5"	23.62"	41
C40AL-ESD	Treston Plus 40 artificial leather black ESD	50.000	17.72"-23.62"	18.11"	16.14"-18.5"	23.62"	43
C40BL	Treston Plus 40 fabric black	50.000	17.72"-23.62"	18.11"	16.14"-18.5"	23.62"	41
C40BL-ESD	Treston Plus 40 fabric black ESD	40.000	17.72"-23.62"	18.11"	16.14"-18.5"	23.62"	43
Neon chairs							
C50BL-G-ESD	Neon 50 fabric black ESD grey strips	40.000	17.72"-24.41"	18.5"	16.54"-18.9"	22.44"	40
Saddle chairs							
SADDLE B	Saddle chair fabric blue	> 50.000	22.64"-32.28"	13.78"	16.54"		15
SADDLE G ESD	Saddle chair fabric grey ESD	> 50.000	22.64"-32.28"	13.78"	16.54"		15
SADDLE AL ANTIB	Saddle chair artificial leather ANTIB black		22.64"-32.28"	13.78"	16.54"		15
SADDLE AL ESD	Saddle chair artificial leather ESD black		22.64"-32.28"	13.78"	16.54"		15
SADDLE L	Saddle chair leather black		22.64"-32.28"	13.78"	16.54"		15


*According to the DIN 68877, the seat height is measured from the floor to the center of the seat with a 141 lb load. The maximum load capacity of the chairs is 265 lbs.

Accessories for chairs

Product	Description	Order No	Order No ESD
High glide set	Abrasion-resistant plastic glides have a large surface area and offer superb level of stability. The glides can be retrofitted to all of our chairs.	CGLIH	CGLIH-ESD
Soft caster set for hard floor	Dual-wheel safety casters are equipped with load-sensitive brakes, which means that the casters will brake when unloaded. As a standard, we supply soft casters for hard floors, but hard casters for soft floors need to be ordered separately.	CSCAS	CSCAS-ESD
Hard caster set for soft floor		CHCAS	CHCAS-ESD
Soft Stop&Go caster set for hard floors	In case the high chair needs to be moved around the workplace, Stop&Go casters will provide a safe solution. These casters will brake as soon as they are loaded, but when not loaded, the chair is easy to move around.	CSTOP	CSTOP-ESD
4D armrests for Treston Ergo and Treston Plus	Adjustment of height, width and depth with the possibility to swivel.	ARE	
4D ESD armrests for Treston Ergo ESD and Treston Plus ESD	Adjustment of height, width and depth with the possibility to swivel.		ARE-ESD
4D armrests for Neon	Adjustment of height, width and depth with the possibility to swivel.		ARN-ESD
Chrome-plated foot ring	Foot ring can also be retrofitted to our lower chair models by attaching it to the chair column. Can be used on both ESD and non-ESD models. The height can be easily adjusted without any tools.	CRING	CRING



Carts





The castors are equipped with brakes to ensure your safety on uneven surfaces.

Freedom of mobility with carts

Increased productivity with mobility

Work is not always confined to a single workstation and tools must be moved around accordingly. Lightweight carts are ideal for this situation, significantly increasing productivity by up to 30%.

Each task is different and requires dedicated tools. Due to their modularity and versatile accessory components, carts are easy to design and adapt to suit a multitude of users and applications.





Heavy-duty cart

Heavy-duty carts, as their name indicates, are ideal for moving heavy loads. Their special casters support extremely heavy weights.



Fitter's cart

A fitter's cart with drawers lets you take your tools wherever you go, while keeping them organized. The rubber mat helps keep tools in place while you are working.



Service cart

The service cart frame is equipped with a safety locking feature that allows only one drawer to be opened at a time.



Storage cart

An easy solution for mobile storage, the storage cart has an adjustable middle shelf, and the shelves are fitted with standard rubber mats.



Basic cart

Equip your carts with shelves, tops and other accessories to fit any application, such as transportation or tool storage.

Heavy-duty cart



Heavy-duty carts, as their name indicates, are ideal for moving heavy loads. Their special casters support extremely heavy weights. The total capacity of the basic model is up to 1320 lbs!


The heavy-duty carts are equipped with two fixed castors (Ø 6.3") and two swivel casters with brakes.

Heavy-duty cart 3,
Order No. C75007103

Top 39.37" x 29.52"
Worktop height 37.79"

**For extremely
heavy loads!**

**The total capacity of the
basic heavy-duty cart is
up to 1320 lbs.**



Heavy-duty cart 1, Order No C75041001



Heavy-duty cart 2, Order No C75041002



Heavy-duty cart 4, Order No C75041004
The cone bracket holder can hold up to 48 ISO cone brackets (cone bracket page 64).

Heavy-duty carts

Name	Size W x D x H	Max load lbs	Order No
Heavy-duty cart 1	36.81" x 30.9" x 37"	1320	C75041001
Heavy-duty cart 2	36.81" x 30.9" x 37"	1320	C75041002
Heavy-duty cart 3	39.37" x 31.88" x 64.56"	1320	C75007003

Heavy-duty cart accessories

Name	Size W x D x H	Max load lbs	Order No
Shelf	31.97" x 30.32" x 1.18"	880	852671-49
Cone bracket holder, ISO	31.97" x 30.32 x 2.05"	1100	852673-49

Heavy-duty cart 3

Qty	Name	Size in	Order No
1	Bottom shelf	36.73 x 30.70	852666-49
1	Perforated uprights, pair	26.02	852668-49
1	Perforated uprights, pair	53.50	852667-49
1	Cross support, pair		852669-49
1	Handle		852670-49
1	Pvc-top, steel edges	39.37 x 29.52	836723-79
1	Corner hooks		848336-49
1	Horizontal tube M36	34.37	840104-49
1	Fixed castors		900040-00
1	Swivel castors		900041-00
1	Perforated panel	34.25 x 15.74	861516-49
1	Suspension rail M36	35.23	859152-49
6	Plastic box 1525-5		806208-00
1	Attachment set		870811-00
1	Drawer unit 55/37	21.65 x 28.14 x 14.56	61107001

Fitter's cart

A fitter's cart lets you take your tools wherever you go, while keeping them organized. The rubber mat helps keep tools in place while you are working and the drawer unit comes equipped with a safety lock that prevents other drawers from opening while one drawer is open. This helps to keep the cart in balance – even with heavy loads.

The fitter's carts are equipped with four swivel casters (Ø 3.94"), two of which have brakes. Fitter's cart can be combined with all M30 accessories.

Fitter's carts

Name	Module	Size W x D x H in	Max load lbs	Order No
Fitter's cart 1	M30	31.49 x 28.14 x 33.66	660	C73041001
Fitter's cart 2	M30	31.49 x 28.14 x 33.66	660	C73041002
Fitter's cart 3	M30	31.49 x 28.14 x 33.66	660	C73041003
Fitter's cart, frame	M30	31.49 x 28.14 x 33.66	660	C73041000
Fitter's cart 4		31.29 x 28.14 x 36.02	660	C73007004


Fitter's cart accessories

Name	Size W x D x H in	Max load lbs	Order No
Bottom shelf with rubber mat	28.34 x 22.04 x 1.25	330	852719-41
Bottom shelf with HDPE plastic covering	28.34 x 22.04 x 1.25	330	852683-41
Shelf with rubber mat	28.34 x 22.04 x 1.25	330	852720-41
Shelf with HDPE plastic covering	28.34 x 22.04 x 1.25	330	852684-41
Extendable shelf + brackets	28.34 x 22.83 x 1.29	110	852687-49


Fitter's carts can be combined with all M30 accessories.

Cone rack with hooks HSK, Capto, ISO

Name	Size W x D x H in	Order No
Cone rack with hooks	29.21 x 7.40 x 3.54	854430-49



Cone rack with hooks



Fitter's cart 1



Fitter's cart 2



Fitter's cart 3

Fitter's cart 3 includes 6 cone racks. Tool brackets, page 64, ordered separately.



Fitter's cart 4

Service cart



Service cart
Size 27.95 x 18.89 x 34.44 inches
Max load 660 lbs


The service cart frame is equipped with a safety locking feature that allows only one drawer to be opened at a time. The cover comes standard with a separate rubber mat that prevents items from slipping.

Both sides of the cart have standard perforated panels that you can accessorize with brackets and hooks, to suit any application. Service carts are also equipped with two fixed casters (Ø 5.91") two swivel casters including brakes (Ø 3.94").

Service carts

Model	Service cart 1	Service cart 2	Service cart 3	Service cart 4	Service cart 5	Service cart 6	Service cart 7	Service cart 8
Order No	71007001	71007002	71007003	71007004	71007005	71007006	71007007	71007008
Height (inches) of the drawer	3 x 2.95	2 x 2.95	1 x 2.95	5 x 2.95	2 x 2.95	1 x 3.93	1 x 3.93	1 x 3.93
	1 x 4.92	2 x 3.93	4 x 3.93	1 x 3.93	2 x 3.93	2 x 9.84	2 x 4.92	4 x 4.92
	1 x 9.84	2 x 4.92	1 x 4.92	1 x 4.92	1 x 9.84		1 x 9.84	

Internal drawer dimensions: 23.62 x 13.58 x 2.48/3.46/4.44/9.37 inches.



Accessorized service cart




By attaching the upright tube pair 854038-49, you can use all the M20 accessories.

Accessories for service cart (in the picture)

Qty	Name	Size inches	Order No
1	Perforated upright pair	1.18 x 1.18 x 47.99	854038-49
1	Perforated tool cabinet	7.87 x 23.62 x 18.50	854039-07
1	Bin rail	M20	860953-49
5	Picking bins		30-1L-6
1	Vice support		854037-45
1	Pick-up box holder	6.49 x 1.88 x 17.95	854042-49
4	Pick-up box	5.86 x 3.34 x 1.88	851843-00
1	Utility box	6.10 x 3.54 x 16.14	854041-49
1	Paper roll dispenser		854043-49
1	Waste bucket holder		854044-49
1	Waste bucket		839159-00
1	Folder compartment	18.34 x 3.54 x 9.44	854040-49



Drawer interiors for service cart



Tool troughs 1.75 and 2.75 inches

Drawer 71/2.95" 854066-00

Middle dividers and plates 2

3 x middle divider, 6 x middle plate 5.90 and 2 x middle plate 11.81 *

Drawer 71/2.95 854069-49

Drawer 71/3.93 854070-49

Drawer 71/4.92 854070-49

* One example of interior solutions shown in picture.


Pick up boxes

Drawer 71/2.95 854064-00

Rubber mat for the drawer bottom

Rubber mat 71 854078-00

Basic cart



Basic cart 1



Basic cart 2




Basic cart 3



Basic cart 4



Basic cart 5



Basic cart frame

Equip your carts with shelves, tops and other accessories to fit any application, such as transportation or tool storage.

All carts are equipped with four swivel casters (Ø 4.92"), two of which have brakes. The basic cart can be combined with all the M30 accessories.

Basic carts

Name	Size W x D x H inches	Max load lbs	Order No
Basic cart 1	31.49 x 28.14 x 64.96	770	BT-170B
Basic cart 2	31.49 x 28.14 x 64.96	770	C74007102
Basic cart 3	31.49 x 28.14 x 64.96	770	C74041003
Basic cart 4	31.49 x 28.14 x 64.96	770	C74007004
Basic cart 5	31.49 x 28.14 x 64.96	770	C74041105
Basic cart frame **	31.49 x 28.14 x 64.96	770	859859-41

* Up to 112 stacking bins can be attached to one cart, ordered separately.

** Basic cart frame includes bottom shelf and rubber mat.

Basic cart accessories

Name	Size W x D x H inches	Max load lbs	Order No
Bottom shelf with rubber mat	28.34 x 22.04 x 1.25	330	852719-41
Bottom shelf with HDPE plastic covering	28.34 x 22.04 x 1.25	330	852683-41
Shelf with rubber mat*	28.34 x 22.04 x 1.25	330	852720-41
Shelf with HDPE plastic covering*	28.34 x 22.04 x 1.25	330	852684-41
Steel shelf*	28.34 x 22.04 x 1.25	330	852685-49
Steel shelf	28.34 x 22.04 x 1.25	330	852665-49
Extendable shelf*	28.34 x 22.83 x 1.29	110	852687-49
Wash basket L-300	14.96 x 11.88 x 4.33	44	839116-51
Waste basket			839159-00
Waste basket holder			835773-49
Paper roll holder	Roll dimensions max: width 9.44 inches, Ø 9.05 inches		860310-49
Flow-through shelf*	28.27" x 32.87" x 2.4"		890710-49

Carts can be combined with all the M30 accessories. For perforated panels, see p. 88, for R-hooks, see p. 90.

*including brackets





Storage cart

An easy solution for mobile storage, the storage cart has an adjustable middle shelf, and the shelves are fitted with standard rubber mats.

The cart is equipped with four swivel casters (Ø 3.94"), two of which have brakes.

Storage cart

Name	Size W x D x H inches	Max load lbs	Order No	Order No ESD
Storage cart	25.59 x 17.72 x 30.51	3 x 66	852773-41	852773-49





Drawer units





Versatile drawer units

Since work is not always performed in the same place, we provide a comprehensive range of different drawer units for a variety of purposes. You can fix any drawer unit from the same series under a worktop or on a base unit, or equip them with casters to take along to your next workstation.

Efficient storage and control

Our drawer units are great for storing tools and supplies. It can be surprising how much time is spent finding tools and other items if they are not stored systematically. The versatile interior combinations of our drawer units guarantee that your supplies are always at hand and organized.

A comprehensive range of drawer units

We promise that you will find a drawer unit that meets your requirements in our comprehensive range. You can choose from several different heights and drawer and interior combinations. We have selected some combinations for this brochure. For more options, please contact: infousa@sovella.com.

Drawer units for heavy loads


These robust drawer units are ideal for storing heavy-weight supplies and tools, for example in a repair workshop or in the engineering industry.



Drawer unit 45/14
and 45/25



Drawer unit 55



Drawer unit 71



Drawer unit 70



Drawer unit 90



Drawer unit 130



How to read the codes of drawer units

- The number included in the general name of the drawer unit refers to the base unit width in centimetres.
- The second number refers to the base unit height.
- The third number refers to the combination.

Example: Drawer unit 55/66-1



The drawer unit is 55 cm wide, 66 cm high and its combination number is 1.

Drawer unit 45/14 and 45/26

Drawer unit 45 is attached under the workbench. It is available in two versions: with a fully extendable drawer and a 75% extendable standard-series drawer.

Drawer units 45/14 and 45/26

Model	Opening	Load capacity lbs / drawer	Outer dims W x D x H inches	Height (inches) of the drawer		Order No
45/14-1	100%	132	17.72 x 20.47	5.51	1 x 3.94	60349001
L-45/14-1	75%	66	17.72 x 20.47	5.51	1 x 3.94	60349002
45/26-1	100%	132	17.72 x 20.47 x 10.24	2 x 3.94		60449001
L-45/26-1	75%	66	17.72 x 20.47 x 10.24	2 x 3.94		60449002
Internal drawer dimensions: 14.96 x 19.69 x 3.54 inches.						



Drawer interiors



Divider set 1

Model	Order No
Drawer 45/3.94"	872991-49
4 x horizontal dividers 375	




Divider set 2

Model	Order No
Drawer 45/3.94"	872992-49
1 x vertical divider, 8 x divider plate 185	



Divider set 3

Model	Order No
Drawer 45/3.94"	872993-49
1 x vertical divider, 4 x divider plate 125, 4 x divider plate 9.84"	



Divider set 4

Model	Order No
Drawer 45/3.94"	872994-49
2 x vertical divider, 12 x divider plate 125	

Drawer unit 55

With these drawer units you can optimize your storage and keep all your items perfectly organized. The safety locking prevents other drawers from opening while one drawer is open (we recommend locking the drawers during transport). You can choose the best option from three heights to meet your needs, or add height or width with different drawer unit combinations.

The units also serve as workbench legs and the shallower drawers are easily fastened under a workbench. The

Choose the drawer unit according to your needs; with castors, base or no base.

26-inch-high drawer unit includes optional casters, making it an excellent choice for a mobile workstation. The unit with casters comes with a rubber mat that stops items from sliding on the surface. The version with doors is ideal for storing larger items. The 1.97" high drawer is fully extendable with a load capacity of 88 lbs. The other drawers are 85% extendable with a load capacity of 176 lbs.



Cart model: load capacity 660, 2 fixed castors, 2 swivel castors with brakes (ø 3.94").
























Drawer unit 55

















Model	55/13-1	55/37-1	55/37-2	55/37-3	55/37-4	55/37-5	55/37-6	55/37-7
Order No	61007001	61107001	61107002	61107003	61107004	61107005	61107006	61107007
Height (inches) of the drawer	1 x 3.94	1 x 1.97 1 x 3.94 1 x 5.91	3 x 3.94	2 x 5.91	3 x 1.97 1 x 5.91	1 x 1.97 1 x 9.84	2 x 1.97 2 x 3.94	6 x 1.97





Internal drawer dimensions: 18.11 x 24.09 x 1.37/3.34/5.31/9.25 inches.



Drawer unit 55/66

	55/66-1	55/66-2	55/66-3	55/66-4	55/66-5	55/66-8	55/66-9	55/66-10
Standard	61207101	61207102	61207103	61207104	61207105	61207108	61207109	61207110
With base	61207201	61207202	61207203	61207204	61207205	61207208	61207209	61207210
With casters	61207301	61207302	61207303	61207304	61207305	61207308	61207309	61207310
Height (inches) of the drawer	3 x 1.96 	2 x 1.96 	1 x 1.96 	2 x 1.96 	1 x 1.96 	3 x 3.93 	2 x 3.93 	2 x 1.96 
	3 x 3.93 	2 x 3.93 	4 x 3.93 	1 x 3.93 	3 x 3.93 	2 x 5.90 	1 x 5.90 	5 x 3.93 
	1 x 5.90 	2 x 5.90 	1 x 5.90 	1 x 5.90 	1 x 9.84 		1 x 9.84 	
				1 x 9.84 				

	55/66-11	55/66-13	55/66-14	55/66-15	55/66-16	55/66-17	55/66-18	55/66-19
Standard	61207111	61207113	61207114	61207115	61207116	61207117	61207118	61207119
With base	61207211	61207213	61207214	61207215	61207216	61207217	61207218	61207219
With castors	61207311	61207313	61207314	61207315	61207316	61207317	61207318	61207319
Height (inches) of the drawer	1 x 3.93 	4 x 1.96 	4 x 5.90 	6 x 3.93 	1 x 1.96 	12 x 1.96 	5 x 1.96 	6 x 1.96 
	2 x 9.84 	1 x 3.93 			2 x 5.90 		1 x 3.93 	3 x 3.93 
		2 x 5.90 			1 x 9.84 		1 x 9.84 	

	55/66-20	55/66-21
Standard	61207120	61207121
With base	61207220	61207221
With castors	61207320	61207321
Height (inches) of the drawer	8 x 1.96 	2 x 1.96 
	2 x 3.93 	2 x 9.84 

Drawer unit 55/66-6 with door

	Door right	Door left
Standard	61207106	61207107
With base	61207206	61207207
With castors	61207306	61207307

Cabinets include bottom shelf.

Shelves for drawer unit 55/66 with door


Name	Size inches	Max load lbs	Order No
E-shelf	17.91 x 24.09 x 2.40	176	854106-49
Shelf	21.25 x 24.76 x 1.37	176	854114-49



Attachment set for drawer unit 55

Description	Order No
Attachment set is needed for TP benches. Drawer unit 55 can be fastened on 36" deep TP benches.	855056-49

Drawer interiors



Divider Set 1

55/3.94"	873001-49
55/5.9" & 9.84"	873006-49
3 dividers, 12 middleplates (9x3.94", 3x5.9")	




Divider Set 2

55/3.94"	873002-49
55/5.9" & 9.84"	873007-49
2 dividers, 9 middle plates (9x5.9")	




Divider Set 3

55/3.94"	873003-49
55/5.9" & 9.84"	873008-49
1 divider, 5 middle plates (3x5.9", 2x11.81")	




Tool troughs 1.3", 1.8" and 2.8"

Drawer 55/1.97"	834122-00
-----------------	-----------



Pick up boxes

Drawer 55/3.94"	851866-00
-----------------	-----------



Rubber mat for the drawer bottom

Rubber mat 55	852717-00
---------------	-----------

Drawer unit 55 combinations

It is possible to combine two drawer unit 55 frames with the help of a TWIN set (combination 3). The middle plate can be used to stack two drawer units 55 (combinations 1 and 2).



Combination 1, Order No C61207901

Includes	Order No
55/66-4	61207304
55/37-1	61107001
Middle plate	854103-49

Combination 2, Order No C61207902

Includes	Order No
55/66-6	61207306
55/37-1	61107001
Middle plate	854103-49
Shelf + brackets	854114-49



Combination 3, Order No C61207903

Includes	Size inches	Order No
55/66-4		61207104
55/66-6		61207106
Twin set		854108-41
Shelf + brackets		854114-49
Bench top	48 x 30	860554-66

TWIN set

Name	Size in	Order No
Twin set		854108-41
Bench top	1.89" x 1.18"	860554-66

The Twin set includes four swivel castors Ø3.93", two of which have brakes and plates to fix two frames together. The top is not included in the pack.

Middle plate


Name	Order No
Middle plate	854103-49

Always remember
to lock the
drawer unit
during transport!

Drawer unit 71

Less than 19.68" deep, this drawer unit is ideal for use in narrow spaces, such as in vehicles. The units come with a rubber mat that stops items from sliding on the surface. The drawers have ball bearing runners and safety locking which prevents other drawers from opening while one drawer is open.

This same drawer unit is used in the service cart with castors p. 48. The drawers are 90% extendable and their load capacity is 110 lbs.




Drawer unit 71/79

Model	71/79-1 •	71/79-2 •	71/79-3 •	71/79-4 •	71/79-5 •	71/79-6 •	71/79-7 •	71/79-8 •
Order No	62007001	62007002	62007003	62007004	62007005	62007006	62007007	62007008
Height (inches) of the drawer	3 x 2.95	2 x 2.95	1 x 2.95	5 x 2.95	2 x 2.95	1 x 3.93	1 x 3.93	1 x 3.93

Internal drawer dimensions: 23.62 x 13.58 x 2.48/3.46/4.44/9.37 inches.

Drawer interiors




Tool troughs 1.3" and 1.75"

Drawer 71/2.95" 854066-00



Pick up boxes

Drawer 71/2.95" 854064-00



Middle dividers and plates 2


3 x middle divider, 6 x middle plate 5.9" and 2 x middle plate 11.81"*

Drawer 71/2.95" 854069-49

Drawer 71/3.93" 854070-49

Drawer 71/4.92" 854070-49


* One example of interior solutions shown in picture.



Rubber mat for the drawer bottom

Rubber mat 71 854078-00

Drawer units 70, 90 and 130




You can fit an amazing number of things in these spacious drawer units. Choose the one that best meets your needs from two heights: 43.31" and 55.12". The 43.31"-high drawer units include a cover that doubles as a worktop with a rubber mat. This is the ideal height for working standing up.

The safety locking prevents other drawers from opening while one drawer is open. The drawer unit can be moved with a pallet truck or a forklift when the base front plate has been removed. The drawers are 100% extendable and their load capacity is up to 440 lbs.

NEW: All the drawers are 100% extendable, also available with a load capacity of up to 440 lbs!

The drawer units 70, 90 and 130 have been updated; all the drawers are now 100% extendable. The load capacity of the standard drawers is 165 lbs, but all the drawer units are available with drawers that have **a load capacity of up to 440 lbs!**

The drawer units with the load capacity of 440 lbs are indicated by a product code having an H in the end (e.g. 61307001H).

































Drawers open
100% and their
load capacity is
165 lbs / 440 lbs.




























The drawer units 70, 90 and
130 can be moved with a
pallet truck or a forklift when
the base front plate has been
removed.

Drawer unit 70/110, 100% opening
























Model	70/110-1	70/110-2	70/110-3	70/110-4	70/110-5	70/110-6	70/110-7	70/110-8
Order No (165 lbs)	61307001	61307002	61307003	61307004	61307005	61307006	61307007	61307008
Order No (440 lbs)*	61307001H	61307002H	61307003H	61307004H	61307005H	61307006H	61307007H	61307008H
Height (inches) of the drawer	2 x 3.93  3 x 5.90  1 x 9.84 	2 x 2.95  3 x 3.93  3 x 5.90 	9 x 3.93 	2 x 2.95  2 x 3.93  2 x 5.90  1 x 9.84 	2 x 1.96  1 x 3.93  3 x 5.90  1 x 9.84 	2 x 1.96  4 x 3.93  1 x 5.90  1 x 9.84 	3 x 1.96  4 x 2.95  2 x 3.93  1 x 9.84 	2 x 1.96  2 x 2.95  1 x 3.93  2 x 5.90  1 x 9.84 

* Note! 1.96" high drawers always have a load capacity of 165 lbs.


























Model	70/110-9	70/110-10	70/110-11	70/110-12	70/110-13	70/110-14	70/110-15	70/110-16
Order No (165 lbs)	61307009	61307010	61307011	61307012	61307013	61307014	61307015	61307016
Order No (440 lbs)*	61307009H	61307010H	61307011H	61307012H	61307013H	61307014H	61307015H	61307016H
Height (inches) of the drawer	2 x 1.96  3 x 2.95  2 x 3.93  3 x 4.92 	2 x 1.96  3 x 2.95  1 x 4.92  1 x 5.90 	2 x 1.96  4 x 2.95  5 x 3.93 	2 x 2.95  6 x 3.93  1 x 5.90 	6 x 3.93  2 x 5.90 	2 x 1.96  5 x 3.93  2 x 5.90 	3 x 1.96  3 x 3.93  3 x 5.90 	1 x 1.96  1 x 3.93  6 x 4.92 

* Note! 1.96" high drawers always have a load capacity of 165 lbs.























Drawer unit 70/110, 100% opening

Model	70/110-17	70/110-18	70/110-19	70/110-20	70/110-21	70/110-22	70/110-23	70/110-24
Order No (165 lbs)	61307017	61307018	61307019	61307020	61307021	61307022	61307023	61307024
Order No (440 lbs)*	61307017H	61307018H	61307019H	61307020H	61307021H	61307022H	61307023H	61307024H
Height (inches) of the drawer	6 x 4.92  1 x 5.90 	3 x 2.95  4 x 3.93  1 x 4.92  1 x 5.90 	2 x 1.96  2 x 2.95  2 x 3.93  3 x 5.90 	8 x 2.95  3 x 3.93 	1 x 5.90  3 x 9.84 	2 x 1.96  4 x 2.95  2 x 9.84 	1 x 1.96  2 x 2.95  2 x 3.93  2 x 9.84 	12 x 1.96  4 x 2.95 












* Note! 1.96" high drawers always have a load capacity of 165 lbs.

Model	70/110-25	70/110-26	70/110-27	70/110-28	70/110-29	70/110-30	70/110-31	70/110-32
Order No (165 lbs)	61307025	61307026	61307027	61307028	61307029	61307030	61307031	61307032
Order No (440 lbs)*	61307025H	61307026H	61307027H	61307028H	61307029H	61307030H	61307031H	61307032H
Height (inches) of the drawer	1 x 1.96  4 x 5.90  1 x 9.84 	1 x 1.96  2 x 3.93  1 x 5.90  2 x 9.84 	2 x 1.96  4 x 2.95  4 x 4.92 	15 x 1.96  2 x 2.95 	1 x 1.96  2 x 2.95  3 x 3.93  1 x 5.90  1 x 9.84 	3 x 1.96  2 x 2.95  2 x 3.93  1 x 5.90  1 x 9.84 	6 x 1.96  8 x 2.95 	12 x 2.95 

































* Note! 1.96" high drawers always have a load capacity of 165 lbs.

Model	70/110-33	70/110-34	70/110-36	70/110-37	70/110-38	70/110-39	70/110-40	70/110-41
Order No (165 lbs)	61307033	61307034	61307036	61307037	61307038	61307039	61307040	61307041
Order No (440 lbs)*	61307033H	61307034H	61307036H	61307037H	61307038H	61307039H	61307040H	61307041H
Height (inches) of the drawer	1 x 3.93  2 x 5.90  2 x 9.84 	6 x 5.90 	14 x 1.96  2 x 3.93 	1 x 1.96  2 x 2.95  7 x 3.93 	1 x 1.96  6 x 2.95  1 x 3.93  2 x 5.90 	2 x 1.96  2 x 5.90  2 x 9.84 	5 x 1.96  6 x 2.95  2 x 3.93 	8 x 1.96  4 x 2.95  2 x 3.93 


































* Note! 1.96" high drawers always have a load capacity of 165 lbs.

Model	70/110-42	70/110-43	70/110-44	70/110-45	70/110-46			
Order No (165 lbs)	61307042	61307043	61307044	61307045	61307046			
Order No (440 lbs)*	61307042H	61307043H	61307044H	61307045H	61307046H			
Height (inches) of the drawer	2 x 2.95  5 x 3.93  2 x 4.92 	2 x 2.95  3 x 9.84 	3 x 3.93  4 x 5.90 	4 x 3.93  2 x 9.84 	8 x 2.95  2 x 5.90 			





















Drawer unit 70/140, 100% opening

Model	70/140-1	70/140-2	70/140-3	70/140-4	70/140-5	70/140-6	70/140-7	70/140-8
Order No (165 lbs)	61607001	61607002	61607003	61607004	61607005	61607006	61607007	61607008
Order No (440 lbs)*	61607001H	61607002H	61607003H	61607004H	61607005H	61607006H	61607007H	61607008H
Height (inches) of the drawer	2 x 2.95  5 x 3.93  2 x 5.90  1 x 9.84 	2 x 2.95  6 x 3.93  3 x 5.90 	4 x 3.93  2 x 5.90  2 x 9.84 	4 x 2.95  2 x 3.93  3 x 5.90  1 x 9.84 	2 x 1.96  3 x 3.93  2 x 5.90  2 x 9.84 	1 x 1.96  2 x 2.95  2 x 3.93  2 x 5.90  2 x 9.84 	1 x 1.96  4 x 2.95  3 x 3.93  2 x 5.90  1 x 9.84 	1 x 1.96  2 x 3.93  3 x 5.90  2 x 9.84 

























* Note! 1.96" high drawers always have a load capacity of 165 lbs.

Model	70/140-9	70/140-10	70/140-11	70/140-12	70/140-13	70/140-14	70/140-15	70/140-16
Order No (165 lbs)	61607009	61607010	61607011	61607012	61607013	61607014	61607015	61607016
Order No (440 lbs)*	61607009H	61607010H	61607011H	61607012H	61607013H	61607014H	61607015H	61607016H
Height (inches) of the drawer	4 x 1.96  2 x 2.95  3 x 3.93  2 x 5.90  1 x 9.84 	3 x 1.96  2 x 2.95  2 x 3.93  2 x 4.92  3 x 5.90 	2 x 1.96  4 x 2.95  4 x 3.93  1 x 5.90  1 x 9.84 	1 x 1.96  4 x 2.95  3 x 3.93  2 x 4.92  2 x 5.90 	6 x 2.95  1 x 3.93  2 x 4.92  1 x 5.90  1 x 9.84 	6 x 3.93  4 x 5.90 	12 x 1.96  8 x 2.95 	1 x 1.96  2 x 2.95  6 x 4.92  1 x 9.84 

* Note! 1.96" high drawers always have a load capacity of 165 lbs.




















Model	70/140-17	70/140-18	70/140-19	70/140-20	70/140-21	70/140-22	70/140-23	70/140-24
Order No (165 lbs)	61607017	61607018	61607019	61607020	61607021	61607022	61607023	61607024
Order No (440 lbs)*	61607017H	61607018H	61607019H	61607020H	61607021H		61607023H	61607024H
Height (inches) of the drawer	1 x 1.96  1 x 5.90  4 x 9.84 	1 x 1.96  12 x 2.95  1 x 3.93  1 x 5.90 	16 x 2.95 	3 x 3.93  6 x 5.90 	1 x 1.96  2 x 2.95  3 x 3.93  3 x 5.90  1 x 9.84 	24 x 1.96 	8 x 3.93  1 x 5.90  1 x 9.84 	12 x 3.93 

* Note! 1.96" high drawers always have a load capacity of 165 lbs.

Model	70/140-25	70/140-26	70/140-27	70/140-28	70/140-29	70/140-30	70/140-31
Order No (165 lbs)	61607025	61607026	61607027	61607028	61607029	61607030	61607031
Order No (440 lbs)*	61607025H	61607026H	61607027H	61607028H	61607029H	61607030H	61607031H
Height (inches) of the drawer	2 x 1.96  10 x 2.95  2 x 3.93  1 x 5.90 	10 x 2.95  3 x 3.93  1 x 5.90 	8 x 2.95  2 x 3.93  2 x 4.92  1 x 5.90 	6 x 2.95  3 x 3.93  3 x 5.90 	1 x 1.96  8 x 2.95  3 x 3.93  2 x 4.92 	4 x 1.96  6 x 2.95  4 x 3.93  1 x 5.90 	9 x 3.93  2 x 5.90 

* Note! 1.96" high drawers always have a load capacity of 165 lbs.


Drawer unit 70/140, 100% opening

Model	70/140-33	70/140-34	70/140-35	70/140-36	70/140-37	70/140-38	70/140-39	70/140-40
Order No (165 lbs)	61607033	61607034	61607035	61607036	61607037	61607038	61607039	61607040
Order No (440 lbs)*	61607033H	61607034H	61607035H	61607036H	61607037H	61607038H	61607039H	61607040H
Height (inches) of the drawer	1 x 1.97  6 x 5.91  1 x 9.84 	8 x 5.91 	8 x 2.95  6 x 3.94 	6 x 2.95  2 x 3.94  2 x 5.91  1 x 9.84 	2 x 2.95  2 x 5.91  3 x 9.84 	2 x 3.94  4 x 9.84 	12 x 2.95  2 x 5.91 	12 x 2.95  3 x 3.94 

* Note! 1.96" high drawers always have a load capacity of 165 lbs.


Internal drawer dimensions: 24.09" x 24.09" x 1.38"/2.36"/3.35"/4.33"/5.12"/9.25".

Drawer interiors




Tool troughs 1.3" and 1.77"

Drawer 70/1.97"	837 911-00
Drawer 70/2.95"	837 911-00




Divider Set 3

70/2.95"	873013-49
70/3.94"	873023-49
70/5.91" & 9.84"	873033-49
1 divider, 4 middle plates (4x11.81")	




Tool troughs 1.77" and 2.76"

Drawer 70/1.97"	837 938-00
Drawer 70/2.95"	837 938-00




Divider Set 4

70/2.95"	873014-49
70/3.94"	873024-49
70/5.91" & 9.84"	873034-49
4 dividers, 15 middle plates (9x3.94", 6x5.91")	




Pick up boxes

Drawer 70/2.95"	851 867-00
-----------------	------------




Divider Set 5

70/2.95"	873015-49
70/3.94"	873025-49
70/5.91" & 9.84"	873035-49
2 dividers, 8 middle plates (6x5.91", 2x11.81")	




Divider Set 1

70/2.95"	873011-49
70/3.94"	873021-49
70/5.91" & 9.84"	873031-49
5 dividers, 18 middle plates (18x3.94")	



Divider Set 6

70/2.95"	873016-49
70/3.94"	873026-49
70/5.91" & 9.84"	873036-49
3 dividers, 11 middle plates (9x3.94", 2x11.81")	



Divider Set 2

70/2.95"	873012-49
70/3.94"	873022-49
70/5.91" & 9.84"	873032-49
3 dividers, 12 middle plates (12x5.91")	



Rubber mat for the drawer bottom

Rubber mat 70	852 718-00
---------------	------------

* One example of interior solutions shown in picture.



Cone racks for shelves and uprights

Cone racks HSK, Capto, ISO

Name	Size W x D in	Max load lbs	Order No
Cone rack with base	22.13" x 5.71" x 4.13"	110	854435-49
Foot extension pair for cone rack with base			854420-49
Cone rack with hooks	29.21" x 7.4" x 3.54"	110	854430-49

Tool brackets


Name	Rack with base can hold pcs	Rack with hooks can hold pcs	Order No
ISO 50	6	8	837770-00
HSK 40A/50B	7	9	854215-00
HSK 63A/80B	5	7	854217-00
HSK 100A/125B	5	7	854219-00
Capto C4	7	9	854201-00
Capto C5	7	9	854202-00
Capto C6	4	6	854203-00

Inserts for ISO 50 bracket


Name	Ø in	Order No
ISO 45 insert	1.77"	837730-00
ISO 40 insert	1.57"	837710-00
ISO 30 insert	1.18"	837690-00
Cylinder insert	1.97"	852311-00
Cylinder insert	1.57"	852310-00
Cylinder insert	1.18"	852309-00

The cone rack with base can be placed on a shelf or work surface. Additional extension parts available for more space under rack. The distance between each bracket is adjustable. The rack is equipped with handles.

The cone rack with hooks can be attached to M30 upright tubes. It can also be used in our industrial cabinets. Both cone racks are suitable for ISO, HSK and Capto tool brackets.




Cone rack with base



Cone rack with hooks





















Drawer unit 90












Drawers open
100% and their
load capacity is
165 lbs / 440 lbs.






















Easy to move with pallet
truck or fork lift.

Drawer unit 90/110, 100% opening





















Model	90/110-1	90/110-2	90/110-3	90/110-4	90/110-13	90/110-20	90/110-21	90/110-33
Order No (165 lbs)	61407001	61407002	61407003	61407004	61407013	61407020	61407021	61407033
Order No (440 lbs)*	61407001H	61407002H	61407003H	61407004H	61407013H	61407020H	61407021H	61407033H
Height (inches) of the drawer	2 x 3.94"  3 x 5.91"  1 x 9.84" 	2 x 2.95"  3 x 3.94"  3 x 5.91" 	9 x 3.94" 	2 x 2.95"  2 x 3.94"  2 x 5.91"  1 x 9.84" 	6 x 3.94"  2 x 5.91" 	8 x 2.95"  3 x 3.94" 	1 x 5.91"  3 x 9.84" 	1 x 3.94"  2 x 5.91"  2 x 9.84" 








Model	90/110-34	90/110-43	90/110-44	90/110-45	90/110-46			
Order No (165 lbs)	61407034	61407043	61407044	61407045	61407046			
Order No (440 lbs)*	61407034H	61407043H	61407044H	61407045H	61407046H			
Height (inches) of the drawer	6 x 5.91" 	2 x 2.95"  3 x 9.84" 	3 x 3.94"  4 x 5.91" 	4 x 3.94"  2 x 9.84" 	8 x 2.95"  2 x 5.91" 			

Drawer unit 90/140, 100% opening

Model	90/140-1	90/140-2	90/140-3	90/140-4	90/140-14	90/140-19	90/140-23	90/140-24
Order No (165 lbs)	61707001	61707002	61707003	61707004	61707014	61707019	61707023	61707024
Order No (440 lbs)*	61707001H	61707002H	61707003H	61707004H	61707014H	61707019H	61707023H	61707024H
Height (inches) of the drawer	2 x 2.95"  5 x 3.94"  2 x 5.91"  1 x 9.84" 	2 x 2.95"  6 x 3.94"  3 x 5.91" 	4 x 3.94"  2 x 5.91"  2 x 9.84" 	4 x 2.95"  2 x 3.94"  3 x 5.91"  1 x 9.84" 	6 x 3.94"  4 x 5.91" 	16 x 2.95" 	8 x 3.94"  1 x 5.91"  1 x 9.84" 	12 x 3.94" 

Drawer unit 90/140, 100% opening

Model	90/140-26	90/140-28	90/140-31	90/140-34	90/140-35	90/140-36	90/140-37	90/140-38
Order No (165 lbs)	61707026	61707028	61707031	61707034	61707035	61707036	61707037	61707038
Order No (440 lbs)*	61707026H	61707028H	61707031H	61707034H	61707035H	61707036H	61707037H	61707038H
Height (inches) of the drawer	10 x 2.95"  3 x 3.94"  1 x 5.91" 	6 x 2.95"  3 x 3.94"  3 x 5.91" 	9 x 3.94"  2 x 5.91" 	8 x 5.91" 	8 x 2.95"  6 x 3.94" 	6 x 2.95"  2 x 3.94"  2 x 5.91"  1 x 9.84" 	2 x 2.95"  2 x 5.91"  3 x 9.84" 	2 x 3.94"  4 x 9.84" 


Model	90/140-39	90/140-40	90/140-42
Order No (165 lbs)	61707039	61707040	61707042
Order No (440 lbs)*	61707039H	61707040H	61707042H
Height (inches) of the drawer	12 x 2.95"  2 x 5.91" 	12 x 2.95"  3 x 3.94" 	1 x 3.94"  4 x 5.91"  2 x 9.84" 

Internal drawer dimensions: 31.89" x 24.1" x 1.93"/2.91"/4.88"/8.82".

The large drawer units 90 and 130 include levelling screws, which help to level the unit on uneven surfaces.




Drawer interiors



Tool troughs 1.3" and 1.77"

Drawer 90/2.95" 837913-00


Tool troughs leave 1.97" free space on one side of the drawer.



Tool troughs 1.77" and 2.76"


Drawer 90/2.95" 837914-00

Tool troughs leave 1.97" free space on one side of the drawer.



Pick up boxes

Drawer 90/2.95" 851870-00




Divider Set 1

90/2.95" 873041-49

90/3.94" 873051-49

90/5.91" & 9.84" 873061-49

7 dividers, 24 middle plates (24x3.94")




Divider Set 2

90/2.95" 873042-49

90/3.94" 873052-49

90/5.91" & 9.84" 873062-49

6 dividers, 21 middle plates (15x3.94", 6x5.91")




Divider Set 3

90/2.95" 873043-49

90/3.94" 873053-49

90/5.91" & 9.84" 873063-49

5 dividers, 17 middle plates (15x3.94", 2x11.81")




Divider Set 4

90/2.95" 873044-49

90/3.94" 873054-49

90/5.91" & 9.84" 873064-49

4 dividers, 14 middle plates (6x3.94", 6x5.91", 2x11.81")




Divider Set 5

90/2.95" 873045-49

90/3.94" 873055-49

90/5.91" & 9.84" 873065-49

3 dividers, 10 middle plates (6x3.94", 4x11.81")




Divider Set 6

90/2.95" 873046-49

90/3.94" 873056-49

90/5.91" & 9.84" 873066-49

5 dividers, 18 middle plates (6x3.94", 12x5.91")




Divider Set 7

90/2.95" 873047-49

90/3.94" 873057-49

90/5.91" & 9.84" 873067-49

4 middle plates (4x800)



Rubber mat for the drawer bottom

Rubber mat 90 854080-00

Drawer unit 130



Easy to move with pallet truck or fork lift.




















Drawer unit 130/110, 100% opening







Model	130/110-1	130/110-2	130/110-3	130/110-4	130/110-13	130/110-20	130/110-21	130/110-33
Order No (165 lbs)	61507001	61507002	61507003	61507004	61507013	61507020	61507021	61507033
Order No (440 lbs)*	61507001H	61507002H	61507003H	61507004H	61507013H	61507020H	61507021H	61507033H
Height (inches) of the drawer	2 x 3.94" 3 x 5.91" 1 x 9.84"	2 x 2.95" 3 x 3.94" 3 x 5.91"	9 x 3.94"	2 x 2.95" 2 x 3.94" 2 x 5.91" 1 x 9.84"	6 x 3.94" 2 x 5.91"	8 x 2.95" 3 x 3.94"	1 x 5.91" 3 x 9.84"	1 x 3.94" 2 x 5.91" 2 x 9.84"
Model	130/110-34	130/110-43	130/110-44	130/110-45	130/110-46			
Order No (165 lbs)	61507034	61507043	61507044	61507045	61507046			
Order No (440 lbs)*	61507034H	61507043H	61507044H	61507045H	61507046H			
Height (inches) of the drawer	6 x 5.91"	2 x 2.95" 3 x 9.84"	3 x 3.94" 4 x 5.91"	4 x 3.94" 2 x 9.84"	8 x 2.95" 2 x 5.91"			

Drawer unit 130/140, 100% opening

Model	130/140-1	130/140-2	130/140-3	130/140-4	130/140-14	130/140-19	130/140-23	130/140-24
Order No (165 lbs)	61807001	61807002	61807003	61807004	61807014	61807019	61807023	61807024
Order No (440 lbs)*	61807001H	61807002H	61807003H	61807004H	61807014H	61807019H	61807023H	61807024H
Height (inches) of the drawer	2 x 2.95" 5 x 3.94" 2 x 5.91" 1 x 9.84"	2 x 2.95" 6 x 3.94" 3 x 5.91"	4 x 3.94" 2 x 5.91" 2 x 9.84"	4 x 2.95" 2 x 3.94" 3 x 5.91" 1 x 9.84"	6 x 3.94" 4 x 5.91"	16 x 2.95"	8 x 3.94" 1 x 5.91" 1 x 9.84"	12 x 3.94"

Drawer unit 130/140, 100% opening


Model	130/140-26	130/140-28	130/140-31	130/140-34	130/140-35	130/140-36	130/140-37	130/140-38
Order No (165 lbs)	61807026	61807028	61807031	61807034	61807035	61807036	61807037	61807038
Order No (440 lbs)*	61807026H	61807028H	61807031H	61807034H	61807035H	61807036H	61807037H	61807038H
Height (inches) of the drawer	10 x 2.95"  3 x 3.94"  1 x 5.91" 	6 x 2.95"  3 x 3.94"  3 x 5.91" 	9 x 3.94"  2 x 5.91" 	8 x 5.91" 	8 x 2.95"  6 x 3.94" 	6 x 2.95"  2 x 3.94"  2 x 5.91"  1 x 9.84"	2 x 2.95"  2 x 5.91"  3 x 9.84" 	2 x 3.94"  4 x 9.84" 

Model	130/140-39	130/140-40	130/140-42
Order No (165 lbs)	61807039	61807040	61807042
Order No (440 lbs)*	61807039H	61807040H	61807042H
Height (inches) of the drawer	12 x 2.95"  2 x 5.91" 	12 x 2.95"  3 x 3.94" 	1 x 3.94"  4 x 5.91"  2 x 9.84"




Internal drawer dimensions: 48.27" x 24.01" x 1.93"/2.91"/4.88"/8.82".


Drawer interiors




Divider Set 1		
130/2.95"	873071-49	
130/3.94"	873081-49	
130/5.91" & 9.84"	873091-49	
11 dividers, 36 middle plates (36x3.94")		




Divider Set 2		
130/2.95"	873072-49	
130/3.94"	873082-49	
130/5.91" & 9.84"	873092-49	
9 dividers, 30 middle plates (18x3.94", 12x5.91")		




Divider Set 3		
130/2.95"	873073-49	
130/3.94"	873083-49	
130/5.91" & 9.84"	873093-49	
7 dividers, 22 middle plates (18x3.94", 4x11.81")		




Divider Set 4		
130/2.95"	873074-49	
130/3.94"	873084-49	
130/5.91" & 9.84"	873094-49	
7 dividers, 23 middle plates (9x3.94", 12x5.91", 2x11.81")		




Divider Set 5		
130/2.95"	873075-49	
130/3.94"	873085-49	
130/5.91" & 9.84"	873095-49	
7 dividers, 16 middle plates (16x5.91")		



Rubber mat for the drawer bottom		
Rubber mat 130	854082-00	




Divider Set 6		
130/2.95"	873076-49	
130/3.94"	873086-49	
130/5.91" & 9.84"	873096-49	
5 dividers, 16 middle plates (12x5.91", 4x11.81")		




Divider Set 7		
130/2.95"	873077-49	
130/3.94"	873087-49	
130/5.91" & 9.84"	873097-49	
3 dividers, 12 middle plates (12x11.81")		




Divider Set 8		
130/2.95"	873078-49	
130/3.94"	873088-49	
130/5.91" & 9.84"	873098-49	
4 middle plates (4x47.24")		



Tool troughs 1.3" and 1.77"		
Drawer 130/2.95"	837912-00	



Tool troughs 1.77" and 2.76"		
Drawer 130/2.95"	837939-00	



Pick up boxes		
Drawer 130/2.95"	851872-00	

* One example of interior solutions shown in picture.



Industrial shelving and cabinets





Industrial shelving and cabinets

Shelves and cabinets help keep the workplace well organized. During selection the space available and load capacity required must be taken into account. Shelving units are also excellent as room dividers. ESD protection is also available.

Extended tool life

The service life and condition of tools can be significantly improved through their appropriate storage. They are stored in their own places, protected from dust and dirt, in a locked cabinet.

A versatile storage solution is created by using suitable accessories

An open shelf is not always the best way to store things. Tools, expensive equipment, and small items need another type of solution. Through using lockable drawers or adding doors and panels, an open shelving system is

turned into a versatile storage solution. Drawers can be fitted with a variety of interior combinations, to suit the tools stored in them.

Storage system is modifiable

A storage system is built around the basic component: extension parts, doors, screens, and other accessories can be added to create an efficient overall solution. In addition the shelf heights can easily be adjusted as needed. Even the load capacity can be increased by adding additional supports.

Heavy storage system is designed for heavy items

When the items are heavy, shelves need to be very strong as well. Computer servers or large measurement instruments can be surprisingly heavy. A heavy storage system is designed for load capacities of up to 880 lbs/shelf.



Industrial cabinets allow for a tidy, efficient working environment

No unnecessary time should be spent looking for tools and materials. This interrupts work and causes stress. In a well-equipped cabinet, everything is where it should be. A ready-assembled cabinet is easy to move to the most convenient location. There are adjustable glides under the cabinet. This makes it easy to adjust the cabinet so that it stands straight on uneven surfaces. All module-M30 and -20 accessories, such as shelves, drawer units, perforated panels, and extendable shelves, can be used in selecting accessories for the cabinet.



Storage system

Storage system can be built as a combination of cabinets and shelves and you can use it as a space divider. The storage system is available in two standard heights:

78.74 inches and 94.48 inches and two widths: 31.49 inches and 39.37 inches.

All standard and extension parts include 6 shelves.

Standard bays

Name	Size W x D inches	Order No
Standard bay 80/30/200	32.44 x 11.81 x 78.74	C31349001P
Standard bay 80/40/200	32.44 x 15.74 x 78.74	C31449001P
Standard bay 100/30/200	40.31 x 11.81 x 78.74	C31349002P
Standard bay 100/40/200	40.31 x 15.74 x 78.74	C31449003P
Standard bay 100/50/200	40.31 x 19.68 x 78.74	C31549001P
Standard bay 100/60/200	40.31 x 23.62 x 78.74	C31649001P
Standard bay 80/40/240	32.44 x 15.74 x 94.48	C31449002P
Standard bay 100/40/240	40.31 x 15.74 x 94.48	C31449004P
Standard bay 100/50/240	40.31 x 19.68 x 94.48	C31549002P
Standard bay 100/60/240	40.31 x 23.62 x 94.48	C31649002P

Extension bays

Name	Size W x D inches	Order No
Extension bay 80/30/200	31.65 x 11.81 x 78.74	C32349001P
Extension bay 80/40/200	31.65 x 15.74 x 78.74	C32449001P
Extension bay 100/30/200	39.52 x 11.81 x 78.74	C32349002P
Extension bay 100/40/200	39.52 x 15.74 x 78.74	C32449003P
Extension bay 100/50/200	39.52 x 19.68 x 78.74	C32549001P
Extension bay 100/60/200	39.52 x 23.62 x 78.74	C32649001P
Extension bay 80/40/240	31.65 x 15.74 x 94.48	C32449002P
Extension bay 100/40/240	39.52 x 15.74 x 94.48	C32449004P
Extension bay 100/50/240	39.52 x 19.68 x 94.48	C32549002P
Extension bay 100/60/240	39.52 x 23.62 x 94.48	C32649002P


All standard and extension bays include 6 shelves



The W x D x H rule

All our dimensions follow a WDH rule, where the first dimension is the width (W), the middle the depth (D), and the last the height (H).

Combination name



Load capacity

2200 lbs/bay

width 32.44"

330 lbs/shelf

width 40.31"

330 lbs/shelf

Storage system combinations



100/30/200-8 C34007108

Qty	Name	Size inches	Order No
3	End frame/open	11.81 x 78.74	830615-49
8	Shelf+brackets	39.37 x 11.81	852175-49
4	Perforated panel	37.36 x 38.89	852145-07
2	Cross support pair 39.37"		852176-49



1. 100/40/200-1 C34407001

Qty	Name	Size inches	Order No
1	Storage cabinet	40.31 x 15.74 x 78.74	C34407000
4	Shelf	39.37 x 15.74	852231-49




Move with a pallet truck

The cabinet can be moved with a pallet truck or a forklift when the base front panel has been removed. Cabinets are equipped with adjustment screws.



2. 100/40/200-4 C34407004


Qty	Name	Size inches	Order No
1	Storage cabinet	40.31 x 15.74 x 78.74	C34407000
2	Shelf	39.37 x 15.74	852231-49
2	Perforated panel	37.36 x 38.89	852145-07
3	Drawer 15.74		834513-49



100/40/200-9 C34007109

Qty	Name	Size inches	Order No
2	End frame/open	15.74 x 78.74	830895-49
14	Shelf+brackets	39.37 x 15.74	852231-49
2	Cross support pair	39.37	852176-49
2	Perforated panel	37.36 x 38.89	852145-07
1	Storage cabinet	40.31 x 15.74 x 78.74	C34407000

Storage system includes a wide range of different parts which can be used to create a fully tailor-made solution.



Storage system components

Name	Size W x D inches	Order No
End frame, open	11.81 x 78.74	830615-49
End frame, open	15.74 x 78.74	830895-49
Sidewall	15.74 x 78.74	859440-49
End frame, open	19.68 x 78.74	851719-49
Sidewall	19.68 x 78.74	859450-49
End frame, open	23.62 x 78.74	851725-49
Sidewall	23.62 x 78.74	859460-49
End frame, open	15.74 x 94.48	851717-49
End frame, open	19.68 x 94.48	851721-49
End frame, open	23.62 x 94.48	851724-49
Cross support pair	39.37	852176-49
Cabinet 100/40/200	40.31 x 15.74 x 78.74	C34407000
Cabinet 100/50/200	40.31 x 19.68 x 78.74	C34507000
Cabinet 100/60/200	40.31 x 23.62 x 78.74	C34607000
Back sheet	39.37	859447-49
Perforated end plate 15.74	13.38 x 78.74	830917-07
Screw set (fixing back to back)		838440-51
Perforated panel 39.37	38.70 x 19.69	852145-07
Additional support for shelf	39.37	852267-49

Shelves


Name	Size W x D inches	Max load lbs	Order No
Shelf	31.49 x 11.81	330	852235-49
Shelf	31.49 x 15.74	330	852234-49
Shelf	39.37 x 11.81	330	852175-49
Shelf	39.37 x 15.74	330	852231-49
Shelf	39.37 x 19.68	330	852185-49
Shelf	39.37 x 23.62	330	852187-49

Shelf dividers

Name	Size W x D inches	Order No
Pair of steel dividers	7.48 x 11.22	861 116-49
Shelf divider 15.74	15.74 x 7.08	832 839-49
Shelf divider 15.74	15.74 x 10.23	832 847-49
Shelf divider 15.74	15.74 x 14.56	832 855-49
Shelf divider 19.68	19.68 x 10.23	852 271-49
Shelf divider 19.68	19.68 x 14.56	852 273-49
Shelf divider 23.62	23.62 x 10.23	852 797-49
Shelf divider 23.62	23.62 x 14.56	852 798-49

Drawers and interior combinations

Name	Size W x D inches	Max load lbs	Order No
Drawer 100/100, for 15.74 deep cabinet	35.55 x 13.66 x 4.21	66	834513-49
Drawer 100/100, for 19.68 deep cabinet	35.55 x 13.66 x 4.21	66	834514-49
1 Middle divider and middle plates			834507-49
2 Middle divider and middle plates			834508-49
3 Middle divider and middle plates			834509-49
4 Pick up boxes			834512-00



Heavy storage system

The heavy storage system is suitable for large and heavy items. The shelf load capacity is 880 lbs and the shelf depth is 27.55 inches. It can be built as a combination of

cabinets, drawers and shelves. The heavy storage system comes in one standard height of 78.74 inches and two widths: 29.52 and 37.40 inches.



All standard and extension bays include 6 shelves.



Standard bays

Name	Size W x D x H inches	Order No
Standard bay, open	29.52 x 28.11 x 78.74	C37549001
Standard bay, closed*	29.52 x 28.11 x 78.74	C37649001
Standard bay, open	37.40 x 28.11 x 78.74	C39549001
Standard bay, closed*	37.40 x 28.11 x 78.74	C39649001

*The standard bay, closed, includes back sheet and closed ends.

Extension bays

Name	Size W x D x H in	Order No
Extension bay, open	27.75 x 28.11 x 78.74	C37749001
Extension bay, closed*	27.75 x 28.11 x 78.74	C37849001
Extension bay, open	35.62 x 28.11 x 78.74	C39749001
Extension bay, closed*	35.62 x 28.11 x 78.74	C39849001

*The standard bay, closed, includes back sheet and closed ends.



The W x D x H rule

All our dimensions follow a WDH rule, where the first dimension is the width (W), the middle the depth (D), and the last the height (H).

Load capacity

4400 lbs/bay

width 29.52 inches



880 lbs/shelf

width 37.40 inches



770 lbs/shelf

Heavy storage system combinations




95/200-1 C39549001

Qty	Name	Size inches	Order No
2	End frame/open	28.11 x 78.74	851655-49
6	Shelf 90	33.85 x 28.11	851663-49
1	Cross support pair		851671-49



75/200-2 C37707002

Qty	Name	Size inches	Order No
2	Base/top 70	25.98 x 28.11	851656-49
1	Back sheet 70	29.13 x 78.34	851700-49
2	End frame/closed	28.11 x 78.74	852449-49
5	Shelf 70	25.98 x 28.11	851658-49
1	Door pair	27.55 x 78.74	854400-07



75/200-8 C37707002


Qty	Name	Size inches	Order No
1	Locking shelf	25.98 x 28.11	851657-49
1	End frame/open	28.11 x 78.74	851655-49
4	Base/top 70	25.98 x 28.11	851656-49
7	Shelf 70	25.98 x 28.11	851658-49
1	Locking element		851675-49
2	End frame/closed	28.11 x 78.74	852449-49
3	Drawer 70/50	24.09 x 24.09 x 1.96	833967-07
2	Drawer 70/3.94"	24.09 x 24.09 x 3.93	833975-07
2	Drawer 70/5.91"	24.09 x 24.09 x 5.90	833983-07
1	Drawer 70/9.84"	24.09 x 24.09 x 9.84	833991-07
1	Back sheet 70	29.13 x 78.34	851700-49



75/200-9 C39907009

Qty	Name	Size inches	Order No
1	Locking shelf	25.98 x 28.11	851657-49
4	Base/top 70	25.98 x 28.11	851656-49
7	Shelf 70	25.98 x 28.11	851658-49
3	End frame/closed	28.11 x 78.74	852449-49
3	Drawer 70/50	24.09 x 24.09 x 1.96	833967-07
2	Drawer 70/3.94"	24.09 x 24.09 x 3.93	833975-07
2	Drawer 70/5.91"	24.09 x 24.09 x 5.90	833983-07
1	Drawer 70/9.84"	24.09 x 24.09 x 9.84	833991-07
2	Back sheet 70	29.13 x 78.34	851700-49
1	Door pair	27.55 x 78.74	854400-07
1	Locking element		851675-49

Heavy storage system includes a wide range of different parts which can be used to create a fully tailor-made solution.



Heavy storage system components

Name	Size W x D inches	Max load lbs	Order No
End frame/open	28.11 x 78.74		852002-49
End frame/closed	28.11 x 78.74		852001-49
Base/top 70	25.98 x 28.11		852004-49
Base/top 90	33.85 x 28.11		852013-49
Cross support pair			851671-49
Back sheet 70	29.13 x 78.34		852009-49
Back sheet 90	37.00 x 78.34		852016-49
Shelf 70	25.98 x 28.11	880	852003-49
Shelf 90	33.85 x 28.11	770	852012-49
Door pair*	27.55 x 78.74		852000-07
Door pair*	35.43 x 78.74		852011-07
Locking shelf 70*	25.98 x 28.11		852007-49
Locking shelf 90*	33.85 x 28.11		852015-49
Locking element	39.37		851675-49

*Door/locking shelf equipped with lock

Heavy storage system drawers

Name	Size W x D inches	Effective height inches	Max load lbs	Opens %	Order No
Drawer 70/50	24.09 x 24.09 x 1.96	1.37	176	100	833967-07
Drawer 70/2.95"	24.09 x 24.09 x 2.95	2.36	176	100	833401-07
Drawer 70/3.94"	24.09 x 24.09 x 3.93	3.34	176	100	833975-07
Drawer 70/125	24.09 x 24.09 x 4.92	4.33	176	100	833320-07
Drawer 70/5.91"	24.09 x 24.09 x 5.90	5.31	176	100	833983-07
Drawer 70/9.84"	24.09 x 24.09 x 9.84	9.25	176	100	833991-07
Extendable shelf 70	24.09 x 24.09 x 3.34		176	100	852017-07
Extendable shelf 90	33.86 x 24.09 x 3.34		176	100	852019-07
Drawer 90/2.95"	33.86 x 24.09 x 2.95	49	176	100	854262-07
Drawer 90/3.94"	33.86 x 24.09 x 3.93	74	176	100	854246-07
Drawer 90/5.91"	33.86 x 24.09 x 5.90	124	176	100	854248-07
Drawer 90/9.84"	33.86 x 24.09 x 9.84	224	176	100	854249-07

Shelving cabinets

Shelving cabinets are made of epoxy powder coated steel. The frames are painted with light grey RAL 7035 and doors either with blue RAL5007 or with light grey RAL7035. The cabinet has sturdy double leaf-doors, flush fitting handle with two keys. Shelving cabinet can be moved with fork lift when it is empty and there are leveling screws under the cabinet for adjusting the cabinet straight. The shelving cabinets are pre-assembled.

Loading capacity 330 lbs/shelf, 1322 lbs/cabinet.



Move with a pallet truck

The cabinet can be moved with a pallet truck or a forklift when it is empty. Cabinets are equipped with adjustment screws.




Name	Size WxDxH in	Order No
Shelving cabinet 100/40/200	40.55"x16.93"x79.13"	SC10040200-07
Shelving cabinet 100/50/200	40.55"x20.87"x79.13"	SC10050200-07
Shelving cabinet 100/60/200	40.55"x24.80"x79.13"	SC10060200-07
Includes 4 shelves		



The W x D x H rule

All our dimensions follow a WDH rule, where the first dimension is the width (W), the middle the depth (D), and the last the height (H).

Combination name



Load capacity

330 lbs/shelf



1322 lbs/cabinet





Storage and charging cabinet



A storage and charging cabinet is ideal for storing personal valuables during the workday and at the same time it provides a possibility to charge mobile phones/tablets/laptops. The storage and charging cabinet consists of six lockers and each locker is equipped with a double socket and a secure electronic code lock. This electronic locking system replaces keys with a numerical code.

The locking system is operated with 2 x AAA batteries and is thus independent of an external power supply. Due to an automatic low power (sleep) mode, the batteries are long lasting, and even when the battery power is low, the lock can still be opened up to 300 times.

Storage and charging cabinets are made of epoxy powder-coated steel. The frames are painted with light grey RAL 7035 and doors either with light grey RAL 7035 or with red RAL 3002. On the back panel of the lockers there is perforation for air ventilation. The inner measurements of the lockers are D x W x H 12.2" x 16.93" x 8.07". Storage and charging cabinets are pre-assembled.

Name	Size W x D x H in	Internal locker dimensions in	Order No
Storage and charging cabinet, grey doors	13.78" x 21.26" x 60.04"	12.2" x 16.93" x 8.07"	SCC-41
Storage and charging cabinet, red doors	13.78" x 21.26" x 60.04"	12.2" x 16.93" x 8.07"	SCC-25

Industrial cabinets



Treston industrial cabinets include a wide range of accessories e.g. for tool storage, allowing a versatile storage solution to be created.

NEW: All cabinets are also available with flush fitting handle lock or digital code lock.

Alternate locking method can be ordered by adding a T or E in the end of the product code (e.g. C309 07 000 T).



T = for flush fitting handle.



E = for digital code lock

Both locks are also available to the industrial shelving system and heavy shelving system cabinets.

Industrial cabinet combinations



55/100-1 C30107001

Qty	Name	Order No
1	Cabinet frame 55/100	C30107000
2	Steel shelf 55	854349-49



80/100-1 C30507001


Qty	Name	Order No
1	Cabinet frame 80/100	C30507000
2	Steel shelf 80	854345-49



80/100-2 C30507002

Qty	Name	Order No
1	Cabinet frame 80/100	C30507000
2	Steel shelf 80	854345-49
1	Drawer 80	854346-49

Combination name



Width cm
Height cm
Version
Depth of cabinet: 16.73"



Practical!

39.37" high cabinet tops have a back stop and rubber mat to be used as an additional work top.



Computer cabinet

Computer cabinet protects equipment from dust and dirt, even in the most demanding conditions. The computer cabinet is pressurised and equipped with an air filter that keeps the dust out. A screen up to a maximum size of 19" will fit in the computer cabinet.

Computer cabinets

Name	Size in	Order No
Computer cabinet	31.49 x 19.68 x 62.99	854358-49
Computer cabinet (without the energy rail)	31.49 x 19.68 x 62.99	854364-49



55/160-1 C30307001

Qty	Name	Order No
1	Cabinet frame 55/160	C30307000
3	Steel shelf 55	854349-49



80/160-1 C30707001

Qty	Name	Order No
1	Cabinet frame 80/160	C30707000
3	Steel shelf 80	854345-49



80/160-2 C30707102

Qty	Name	Order No
1	Cabinet frame 80/160	C30707000
2	Steel shelf 80	854345-49
4	Bin rail, M30	859151-49
21	Plastic container 1015-5	806207-00
5	Container, 1525-5	806208-00


80/160-3 C30707003

Qty	Name	Order No
1	Cabinet frame 80/160	C30707004
3	Steel shelf 80	854345-49
1	Extendable shelf 80	854347-49



More space for tools


A much larger amount of space is available for storing tools if the perforated wall panel 854353-07 is installed on the door or side wall of cabinet 80.





Move with a pallet truck

The cabinet can be moved with a pallet truck or a forklift when the plinth front panel has been removed. Cabinets are equipped with adjustment screws.



80/200-1 C30907001

Qty	Name	Order No
1	Cabinet frame 80/200	C30907000
4	Steel shelf 80	854345-49

80/200-2 C30907102

Qty	Name	Order No
1	Cabinet frame 80/200	C30907000
2	Drawer 80	854346-49
2	Steel shelf 80	854345-49
5	Plastic container 1525-5	806208-00
1	Bin rail, M30	859151-49
1	Extendable shelf 80	854347-49
1	Perforated panel 28.97 x 25.19	861512-07
2	Perforated panel 11.33 x 28.03	854353-07
1	Pair of support feet	864730-49



An extendable shelf for the cabinet

When the cabinet is used for storing folders, a separate extending shelf is a good idea. This shelf makes it easy to browse through the folders.




80/200-3 C30907103

Qty	Name	Order No
1	Cabinet frame 80/200	C30907000
2	Drawer 80	854346-49
2	Steel shelf 80	854345-49
3	Shelf divider H 370/15.74	832855-49
1	Perforated panel 28.97 x 25.19	861512-07
1	Extendable shelf 80	854347-49
1	Pair of support feet	864730-49
1	Pair of steel dividers	861116-49
1	Drawer for hanging folders	854348-49

Industrial cabinet accessories

All the M30 accessories fit the cabinet 80 and can be easily installed inside.



Cabinet frames

Name	Size W x D x H inches	Order No
Cabinet 55/3.94" •	21.65 x 16.73 x 39.37	C30107000
Cabinet 80/100	31.49 x 16.73 x 39.37	C30507000
Cabinet 55/160	21.65 x 16.73 x 62.99	C30307000
Cabinet 80/160	31.49 x 16.73 x 62.99	C30707000
Cabinet 80/160, half doors	31.49 x 16.73 x 62.99	C30707004
Cabinet 80/200	31.49 x 16.73 x 78.74	C30907000

Cabinet frames

Name	Size W x D x H inches	Max load lbs	Order No
Perforated panel for the door or side wall	11.41 x 29.13		854353-07
Perforated panel for the back wall M20	18.42 x 15.31		860951-49
Perforated panel for the back wall M30	28.97 x 25.19		835633-07/-49
Perforated panel for the back wall M30	28.97 x 39.48		835641-07/-49
Pair of steel dividers	.039 x 11.22 x 7.48		861116-49
Steel shelf 55	21.45 x 15.39 x 1.25	220	854349-49
Steel shelf 80	29.33 x 15.59 x 1.25	220	854345-49
Shelf divider	.039 x 15.74 x 7.08		832839-49
Shelf divider	.039 x 15.74 x 10.23		832847-49
Shelf divider	.039 x 15.74 x 14.56		832855-49
Extendable shelf 80	28.54 x 14.25 x 1.65	66	854347-49
Drawer 55 •	18.70 x 14.25 x 3.54	66	854344-49
Drawer 80	28.50 x 14.25 x 3.54	66	854346-49
Drawer for hanging folders	28.50 x 13.77 x 9.44	66	854348-49
Pair of support feet	1.57 x 8.66 x .236		864730-49
Bin rail	29.21 x 3.54	110	859151-49


• = non stock item

Cone rack with hooks HSK, Capto, ISO


Name	Size W x D x H inches	Order No
Cone rack with hooks	29.21 x 7.40 x 3.54	854430-49

Tool brackets

Name	Rack with hooks can hold pcs	Order No
ISO 50	8	837770-00
HSK 40A/50B	9	854215-00
HSK 63A/80B	7	854217-00
HSK 100A/125B	7	854219-00
Capto C4	9	854201-00
Capto C5	9	854202-00
Capto C6	6	854203-00




Cone rack with hooks



Perforated panels





Perforated panels are a part of good organization


Perforated panels are efficient dividers of space and, at the same time, practical storage facilities for tools and equipment.


Order and tidiness are appreciated

Order and tidiness cannot be achieved and maintained without there being a place for each tool. Perforated panels and hooks offer a practical and versatile solution for storing tools and equipment. Perforated panel products are available for direct attachment to the wall or for attachment to upright profiles or tubes.



Hooks also for heavy loads

The hooks can withstand loads of up to 22 lbs.







In addition to the perforated panels, you can attach metal shelves, bin rails, perforated cabinets and light/balancer rails to the upright profiles.




Perforated back and wall panels

The perforated back panels are fastened to the upright tubes or straight to the bench with panel hooks. The perforated wall panels are attached, either directly to the wall with screws or to the upright profiles with fastening clips. The size of the perforation is .35" x .35", center to center 1.49".



The color code is included in those product Order Numbers.

It is either at the end, following the hyphen (e.g. 860804-49), or in the middle (e.g. 100/40/200 C33407000).



1. Perforated panels for upright tubes

Name	Module	Size W x H inches	Order No
Perforated back panel	M20	18.43 x 15.32	861501-49
Perforated back panel	M30	28.27 x 7.64	861510-07
Perforated back panel	M30	28.27 x 15.32	861511-49
Perforated back panel	M30	28.27 x 24.09	861512-07/-49
Perforated back panel, insulated	M30	28.27 x 24.09	861701-07/-49
Perforated back panel	M30	28.27 x 39.49	861514-07/-49
Perforated back panel	M36	34.29 x 15.32	861516-49
Perforated back panel	M36	34.29 x 24.09	861517-07/49
Perforated back panel	M36	34.29 x 39.49	861519-07/49
Perforated back panel	M40	38.11 x 15.31	861532-49
Perforated back panel	M40	38.11 x 24.09	861538-07/49
Perforated back panel	M40	38.11 x 39.49	861535-07
Perforated back panel	M48	45.98 x 15.32	861533-49
Perforated back panel •	M53	51.89 x 15.32	861521-49
Perforated back panel •	M60	58.03 x 15.32	861526-49
Perforated back panel •	M72	69.84 x 15.32	861531-49

Attached to the upright tubes (see page 24).

2. Back panels for upright tubes


Name	Module	Size W x H inches	Order No
Back panel •	M20	18.43 x 15.32	861541-49
Back panel	M30	28.27 x 7.64	861550-49
Back panel	M30	28.27 x 15.32	861551-49
Back panel	M30	28.27 x 24.09	861552-49
Back panel	M36	34.29 x 15.32	861556-49

Attached to the upright tubes (see page 24).

3. Perforated wall panels fastened to the wall

Name	Size W x H inches	Order No
Perforated wall panel	17.87 x 38.90	837369-07
Perforated wall panel	37.36 x 38.90	837334-07
Perforated wall panel	37.36 x 56.85	837342-07
Perforated wall panel	37.36 x 77.80	837350-07

Attached directly to the wall using screws.



Industrial screens

Industrial screens are modular, and they can be equipped with all M30 accessories illustrated from page 26 onward. Industrial screens can be used as space dividers.

Industrial screens

Name	Size W x H inches	Order No
Standard panel, T-feet	30.70 x 2.36 x 72.83	C52007101
Extension panel, T-foot	29.52 x 22.04 x 72.83	C52007102
Extension panel, L-foot	29.52 x 12.20 x 72.83	C52007103
Extension panel, I-foot	29.52 x 2.36 x 72.83	C52007104

Includes 6 perforated back panels, 3 pcs./side.

The standard panel includes two feet, the extension panel includes one foot.


Parts

Name	Size W x H inches	Order No
T-foot	72.83	836516-49
L-foot	72.83	836532-49
I-foot	72.83	836597-49
Spacer bar	29.52	835838-49
Corner joint pair		847615-51
Perforated back panel M30	28.26 x .669 x 24.13	861512-07/-49
Perforated back panel M30, insulated*	28.26 x .669 x 24.13	861701-07/-49
Upper list	28.26 x 2.55	851907-07

The wall module requires two spacer bars.

* The insulation material used is polyether foam.

They also provide noise insulation; the combinations available have perforated back panels on both sides and one side is insulated.



Tool Storage System



Tool storage system requires only 21.52 sq. ft. of floor space and provides 172.22 sq. ft. of storage space. There is no need to fasten it to the floor, as it stands firmly on its own. There is a castor on the lower edge of the panels which makes them easy to move.

The load capacity is 220 lbs/panel. Includes 4 panels; additional panels are available (ordered separately). A maximum of 10 panels can be attached to the tool storage system.

Tool storage system

Name	W x D x H inches	Order No
Tool storage system, 4 panels	40.35 x 40.74 x 83.66	830518-07P
Additional panel	.59 x 37.36 x 77.79	830682-07P
Cabinet enclosure kit	40.35 x 40.74 x 83.66	14-839522-49



Cabinet style tool storage



WATCH THIS ANIMATION showcasing the versatile usage options of our technical furniture: Tool storage system | <https://vimeo.com/213996808>

Treston Tower storage and workstation unit

Being versatile and easily customisable for different environments and tasks, the Treston Tower storage and workstation unit is ideal for, for example, vehicle and machinery assembly lines, service and maintenance departments, and for any work that requires plenty of mobile storage and workspace near the product under work.

When the storage and/or load capacity of a wheeled service cart or drawer unit is not enough and you need a unit that is easier to move than a fixed workstation and can be equipped in many ways, the Treston Tower storage and workstation unit is the correct choice.

The frame is made of powder-coated steel (grey, RAL7045). Accessories and add-on products are available in light grey (RAL7035).



Treston Tower storage and workstation unit

Name	Size W x D x H	Max load lbs	Order No
Treston Tower frame	33.86" x 34.65" x 77.17"	2200	890700-45
Treston Tower frame with castors	33.86" x 34.65" x 82.87"	1322	890701-45



Wide range of accessories and add-on products

Because the frame is equipped with the M30 upright frame module, almost all modular size M30 accessories are compatible with the Treston Tower storage and workstation unit. Also remember the tool hooks (R hooks) and stacking and shelf bins.

Examples of accessories and add-on products

Name	Size W x D x H inches	Max load lbs	Order No
1 Flow-through shelf + brackets M30*	28.27" x 32.68"	330	890710-49
2 Spacer bar, M30**			851483-49
3 Perforated back panel M30, max 3 pcs/side	28.27" x 24.09"		861512-49
4 Hook set 3 (69 pcs)			855003-51
Steel shelf M30	29.13" x 15.75"	110	852770-49
Bin rail M30	29.21" x 3.94"	110	859151-49
LCD monitor holder for perforated panel		22	890715-49

* A flow-through shelf can fit two 15.75" deep shelf bins successively.

** Recommended to be used with flow-through shelving.



Panel hooks

Our selection includes more than 50 different kinds of hooks and brackets for the efficient storage and organisation of

tools. All the hooks and brackets can be easily attached to our perforated panels.



Hook R1

Name	L	Ø	Max load lbs	Order No
Hook R1	1.18	.118	22	853207-51
Hook R1	1.96	.157	22	853208-51
Hook R1	1.96	.236	22	853241-51
Hook R1	3.14	.236	22	853209-51
Hook R1	3.93	.157	17.6	853210-51
Hook R1	3.93	.236	22	853211-51
Hook R1	5.90	.157	8.8	853212-51
Hook R1	5.90	.236	22	853213-51
Hook R1	7.87	.157	4.4	853214-51
Hook R1	7.87	.236	13.2	853215-51
Hook R1	11.81	.236	6.6	853216-51
Hook R1	11.81	.315	17.6	853217-51

L = hook length inches

All order numbers include 5 pcs.

Hook R2

Name	L	Ø	A	Max load lbs	Order No
Hook R2	1.29	.118	.66	22	853218-51
Hook R2	1.69	.157	.98	22	853219-51
Hook R2	1.69	.157	.157	22	853220-51
Hook R2	3.93	.236	.98	22	853221-51
Hook R2	5.90	.157	.59	13.2	853222-51
Hook R2	5.90	.236	.98	22	853223-51
Hook R2	7.87	.236	.98	22	853 224-51

L = hook length inches

A = free gap inches

All order numbers include 5 pcs.

Hook R3

Name	L	Ø	Max load lbs	Order No
Hook R3	.393	.236	22	853225-51
Hook R3	1.96	.236	22	853226-51

L = hook length inches

All order numbers include 5 pcs.

Hook R10

Name	L	A	Max load lbs	Order No
Hook R10	1.10	.354	22	853227-51
Hook R10	1.29	.669	22	853228-51

L = hook length inches

A = free gap inches



All order numbers include 5 pcs.

Hook R13

Name	L	Ø	Max load lbs	Order No
Hook R13	6.18	.118	2.2	853229-51

L = hook length inches

The order number includes 5 pcs.



Hook R16

Name	L	Max load lbs	Order No
Hook R16	.787	44	831514-51
Hook R16	1.81	44	831506-51

L = hook length inches

All order numbers include 1 pc.

Hook R19

Name	Ø	Order No
Hook R19	.511	853231-51
Hook R19	.748	853232-51
Hook R19	.866	853233-51

All order numbers include 5 pc.

Hook R21

Name	L	Ø	Order No
Hook R21	8.66	.471	831646-51

L = hook length inches

The order number includes 1 pc.

Hook R24

Name	L	Ø	Order No
Hook R24	2.55	.669	831700-51
Hook R24	3.14	1.02	831719-51
Hook R24	3.93	1.65	852167-51

L = hook length inches

All order numbers include 1 pc.

Hook R26

Name	L	Ø	Order No
Hook R26	6.29	22	838896-51

L = hook length inches

The order number includes 1 pc.

Hook R29

Name	L	Max load lbs	Order No
Hook R29	1.57	11	853234-51
Hook R29	2.36	11	853235-51
Hook R29	3.14	22	853236-51

L = hook length inches

All order numbers include 5 pcs.

Hook R30

Name	L	Ø	Max load lbs	Order No
Hook R30	1.37	.157	44	853237-51
Hook R30	3.34	.236	44	853238-51

L = hook length inches


All order numbers include 5 pcs.

Hook R33

Name	H	Ø	Order No
Hook R33	1.18	3.54	832162-51

H = hook height inches

The order number includes 1 pc.



Hook R35

Name	L	A	Order No
Hook R35	.669	1.37	853239-51
Hook R35	.669	2.16	853240-51

L = hook length inches

A = free gap inches

All order numbers include 5 pcs.

Hook R37

Name	Ø	Max load lbs	Order No
Hook R37	1.57	22	831433-51
Hook R37	2.36	22	831441-51
Hook R37	3.14	22	831603-51

All order numbers include 1 pc.

Hook R41

Name	L	Order No
Hook R41	21.88	838357-51
1. Individual Box Wrench Holder Small		E818557-51
2. Individual Box Wrench Holder Medium		E818556-49
3. Individual Box Wrench Holder Large		E818430-51

L = hook length inches

The order number includes 1 pc.

Hook R42

Name	L	Order No
Hook R42	9.37	838365-51

L = hook length inches

The order number includes 1 pc.

Hook R43

Name	L	Order No
Hook R43	9.37	838373-51

L = hook length inches

The order number includes 1 pc.

Number of locations	Imperial	Metric
4	7/64"	2.5 mm
4	11/64"	4 mm
6	1/4"	6 mm
6	21/64"	8 mm
6	13/32"	10 mm
4	29/64"	11 mm

Hook R46

Name	L		Order No
Hook R46	4.40	for stacking bins 1015 and 30-1L	831794-51
Hook R46	24.96	bin rail for six stacking bins 1015 and 30-1L	839086-51

L = hook length inches

All order numbers include 1 pc.

Hook R47

Name	W x D	Max load lbs	Order No
Hook R47	13.77 x 4.72	8.8	831654-49

The order number includes 1 pc.

Hook R48


Name	W x D x H	Order No
Hook R48	9.44 x 2.75 x 18.30	838380-51

The order number includes 1 pc.


Paper roll holder

Name	L	Order No
Paper roll holder	11.81	854043-49


L = max roll width inches



Box holder



Utility box



Folder compartment



LCD monitor holder for perforated panel

Other supplies

Name	Size W x D x H inches	Max load lbs	Order No
Box holder for four pick up boxes	17.95 x 6.5 x 1.89	11	854042-49
Pick up box	5.87 x 3.35 x 1.89		
Utility box	16.14 x 6.10 x 3.54	8	854041-49
Folder compartment	18.34 x 3.54 x 9.44	8	854040-49
LCD monitor holder for perforated panel	4.72 x 1.5 x 5.91	22	890715-49

Hook sets

Ready-made hook sets help you to get started.

Choose the most suitable hook set for your needs from the following possibilities:

Hook set 1	Basic light hook set
Hook set 2	Basic hook set for hand tools
Hook set 3	Hook set for perforated tool cabinet
Hook set 4	All inclusive set for hand tools
Hook set 5	Hook set for heavy tools in perforated tool cabinet



Hook sets

				Hooks sets				
Hooks included in the sets (Order No)	L inches	Ø inches	A inches	Set 1	Set 2	Set 3	Set 4	Set 5
				855001-51 •	855002-51 •	855003-51 •	855004-51 •	855005-51 •
R1 (853207-51)	1.18	.118			5	15	10	10
R1 (853208-51)	1.96	.157		5	5		10	10
R1 (853211-51)	3.93	.236						10
R2 (853218-51)	1.29	.118	.669	5	5	5	5	5
R2 (853219-51)	1.69	.157	.984				5	5
R2 (853220-51)	1.69	.157	1.57					5
R10 (853227-51)	1.10		.354					5
R10 (853228-51)	1.29		.669					5
R19 (853231-51)		.511					5	5
R19 (853232-51)		.748		5	5	5	5	5
R19 (853233-51)		.866			5			5
R21 (831646-51)	8.66	.472			1			1
R24 (831719-51)	2.55	.669			1	5	7	3
R24 (852167-51)	3.14	1.02				1	2	3
R29 (853235-51)	1.57				5			5
R30 (853237-51)	1.37	.157		5	5	35	40	10
R33 (832162-51)	1.18	3.54			1	1	2	1
R35 (853239-51)	.669		1.37		5		5	5
R35 (853240-51)	.669		1.37					5
R37 (831441-51)		2.36			1		3	3
R42 (838365-51)	1.37		9.37		1	1	1	1
R43 (838373-51)	1.65		9.37			1		
Pieces				20	45	69	100	107

L = hook length inches

A = free gap inches

Product Specifications

Workbench, cabinet, shelving and drawer frames are all light grey (RAL 7035) or dark grey (RAL 7045). Outside of the standard color range, additional colors are available on request. Please contact our agents or email us at: infousa@sovella.com.

	Color code	RAL code	Doors	Drawers	Perforated panels and back panels
Light grey	49	RAL 7035	STD	A/STD	A/STD
Light grey *	41	RAL 7035	STD	A/STD	A/STD
Dark grey	45	RAL 7045	A	A	A
Blue	07	RAL 5007	STD	A/STD	STD
Red	25	RAL 3002	A	A	A



The color code is included in those product codes that are formed with numbers.

It is either at the end, following the hyphen (e.g. 860 804-49), or in the middle (e.g. C33407000).

***49 is ESD protected light grey, 41 is non-ESD protected light grey. Please remember that ESD protection will result in a slightly darker shade of color than the given RAL code.**

STD = Standard factory color, normal warehouse delivery

A = Factory color, contact a sales representative for delivery times and pricing



Light grey (ESD)
RAL 7035



Dark grey
RAL 7045



Blue
RAL 5007



Red
RAL 3002

ESD Paint specifications



Sovella workstations and related products are finished with a semi-conductive Epoxy/Polyester Powder. The surface resistance of the Sovella proprietary paint formula is 1.0 - 10 MOhm depending on a film thickness and with 100 voltage. The paint comes up to the specifications of SP Method 2472. The resultant paint film has excellent mechanical properties, i.e. abrasion and impact resistance and elasticity. It is not scratched easily and withstands action by chemicals, greases and solvents. It has good anticorrosive properties.



Touch-up pen for grey paint surfaces For minor restoration of Sovella workstations of colors 49 and 41. **14-99900723**

Treston® Storage Bin Colors



Crystal Clear




Grey



Red



Blue




ESD Black

Printed colors do not give a fully accurate representation of painted colors. Please ask a Sovella representative about various samples.

Three-level locking system


Sovella products can be equipped with a three-level locking system. This allows both serialization of individual and identical locks.

Contact your Sovella representative for additional information. The locking services must always be specified with the order.



Serialization of individual locks

Each drawer or cabinet has an individual lock in a production unit, but a master key opens all the locks of the unit. The master keys can also be serialized and the third-level key opens all the drawers and cabinets of all the production units.





Serialization of identical locks

Each team member needs only one key to access all the drawers and cabinets in a production unit. A master key opens all the drawers and cabinets of all the production units and can also be serialized.

Workshop™ Workstations

- Adjustable leg set can support 1650 lbs. per leg pair. Height adjustable 27.55" to 37.40" without top.
- Leg depth is 29.52".
- Upright attachment frame available in sizes 39.37", 59.05", 78.74", 88.58".

- When uprights are not required, the legs can be connected using spacer bars. Adjustable 39.37" to 59.05" or 59.05" to 88.58".
- Drawer pedestal 55 can take the place of a leg.



Cornerstone™ Workstation


- Cornerstone™ worktable frame consists of one right and one left lower "H" leg. Upper horizontal front rail and upper horizontal rear structure for structural stability and slotted upright attachment.
- Cornerstone™ worktable frame can support 2000 lb load, evenly loaded.
- Frames are available in widths: 47.24", 59.05", 70.86".
- Height adjustment from 27.56"-40.55" in 1 inch increments. Telescoping leg parts are set with through bolts.
- Table frames can be easily equipped with any 12mm stem casters.
- Slotted upright mounting brackets are included.

Steel Thickness:

Steels used in the construction of the frames are 12, 14 and 16 gauge CRS steel, except as follows:

- Attachment parts for bolts: 7 gauge CRS steel
- Cable rail: 20 gauge CRS steel

	48"	60"	72"
A	47.24"	59.06"	71.10"
B	27.81"	27.81"	27.81"
C	17.72"	23.62"	29.53"
D	27.56"-40.55"	27.56"-40.55"	27.56"-40.55"
E	18.11"	18.11"	18.11"
F	21.46"	21.46"	21.46"
G	29.37"	51.18"	62.99"
H	41.93"	53.74"	65.55"




TP Workstation

- Sovella® TP worktable frames consist of a pair of legs, rear case, and front rail.
- Sovella® TP frames are available in 30" depth.
- TP frames are available in widths: 48", 60" and 72"
- Table frames can be easily equipped with any 12mm stem caster.

Steel Thickness:

Steels used in the construction of the frames are 12, 14 and 16 gauge CRS steel, except as follows:

- Leg attachment parts: 7 gauge CRS steel
- Cable rail: 20 gauge CRS steel



	30 x 48	30 x 60	30 x 72
A	47.2"	59.1"	70.9"
B	27.6"	27.6"	27.6"
C	25.6-35.4"	25.6-35.4"	25.6-35.4"
D	24.4"	24.4"	24.4"
E	44.1"	56"	67.7"

Concept™ Workstations

- Concept™ worktable frame consist of a pair of legs, rear case, and front rail.
- Depth of Concept™ table frame is 23.62", 29.5" or 35.43" with the use of depth kit.
- Concept™ frames are available in widths: 39.37", 47.24", 59.05", 70.86" and 78.74"
- Table frames can be easily equipped with any 12mm stem caster.

Steel Thickness:

Steels used in the construction of the frames are 12, 14 and 16 gauge CRS steel, except as follows:


- Leg attachment parts: 7 gauge CRS steel
- Cable rail: 20 gauge CRS steel

Concept™ Workstation - Manual

- Leg pair Concept™ 30 can support 1100 lb load, evenly loaded.
- Concept™ 30 can be equipped with tilting mechanism. The tilting frame is for width 59.05". Tilting frame is equipped with motor, which can tilt 85 lb load. Maximum tilting angle is 50 degrees.

- Height adjustment of Concept™ 30 frame is 26.62" - 44.34" with 1" table top and adjustment glide. Height adjustment is made by adjusting telescoping legs and tightening friction screws on the back and sides of the legs.

- Table frames can be easily equipped with any 12mm stem caster.



Concept™ Workstation Frame - Manual


	24 x 48	30 x 48	24 x 60	30 x 60	24 x 72	30 x 72
A	47.24"	47.24"	59.06"	59.06"	70.86"	70.86"
B	23.33"	29.07"	23.33"	29.07"	23.33"	29.07"
C	40.78"	40.78"	52.60"	52.60"	64.41"	64.41"
D	40.11"	40.11"	51.93"	51.93"	63.74"	63.74"
E	17.03"	22.93"	17.03"	22.93"	17.03"	22.93"
F	11.43"	11.43"	11.43"	11.43"	11.43"	11.43"
G	23.54"	29.52"	23.54"	29.52"	23.54"	29.52"
H	13.51"	17.57"	13.51"	17.57"	13.51"	17.57"
I	7.93"	11.12"	7.93"	11.12"	7.93"	11.12"
J	26.82-44.34"	26.82-44.34"	26.82-44.34"	26.82-44.34"	26.82-44.34"	26.82-44.34"
K	5.5"	5.5"	5.5"	5.5"	5.5"	5.5"
*K ₁	2.87"	2.87"	2.87"	2.87"	2.87"	2.87"

*K₁ - Low Profile caster option.

Concept™ Workstation - Hand Crank

- Pair of legs of crank frame can support 440 lb dynamic load, and 1100 lb static load, evenly loaded.
- Frames are available in depths of 23.6", 29.5" and 35.43"
- Frames are available in widths of 39.4", 47.2", 59.1" and 71.1".
- Height adjustment of crank frame is 27.6"-41.4" with 1" table top.

- The crank handle can be installed on the left or right side of the frame. Standard table configuration is right hand crank.
- Height adjustment change one inch per each full rotation of the crank handle.
- The crank folds away under the frame when not in use.




Concept™ Workstation Frame - Hand Crank

	24 x 48	30 x 48	24 x 60	30 x 60	24 x 72	30 x 72
A	47.24"	47.24"	59.06"	59.06"	70.86"	70.86"
B	23.33"	29.07"	23.33"	29.07"	23.33"	29.07"
C	40.78"	40.78"	52.60"	52.60"	64.41"	64.41"
D	40.11"	40.11"	51.93"	51.93"	63.74"	63.74"
E	10.52"	16.44"	10.52"	16.44"	10.52"	16.44"
F	11.43"	11.43"	11.43"	11.43"	11.43"	11.43"
G	23.54"	29.52"	23.54"	29.52"	23.54"	29.52"
H	11"	18.28"	11"	18.28"	11"	18.28"
I	9.26"	9.26"	9.26"	9.26"	9.26"	9.26"
J	26.82-40.60"	26.82-40.60"	26.82-40.60"	26.82-40.60"	26.82-40.60"	26.82-40.60"
K	5.5"	5.5"	5.5"	5.5"	5.5"	5.5"
*K ₁	2.87"	2.87"	2.87"	2.87"	2.87"	2.87"
L	8.06"	8.06"	8.06"	8.06"	8.06"	8.06"

*K₁ - Low Profile caster option.

Concept™ Workstation - Motorized

- Leg pair of Concept™ motorized frame can support a static load of 1100 lbs, evenly loaded on a worktop and a dynamic load of 660 lbs, evenly loaded.
- Frames are available in depths of 23.62", 29.52" and 35.43".
- Frames are available in widths of 39.37", 47.24", 59.05", 70.86" and 78.74"
- Height adjustment range of Concept™ motorized frame is 27.80" - 43.55" with 1" table top and adjustment glides. Adjustment is made with 2 linear actuators, using an up/down memory desk switch.
- The speed of the frame is .70" / sec without load
- The speed of the frame is .59" / sec with load



Concept™ Workstation Frame - Motorized

	24 x 48	30 x 48	24 x 60	30 x 60	24 x 72	30 x 72
A	47.24"	47.24"	59.06"	59.06"	70.86"	70.86"
B	23.33"	28.66"	23.33"	28.66"	23.33"	28.66"
C	37.90"	37.90"	49.72"	49.72"	61.53"	61.53"
D	37.75"	37.75"	51.93"	51.93"	63.74"	63.74"
E	8.92"	14.72"	8.92"	14.72"	8.92"	14.72"
F	11.43"	11.43"	11.43"	11.43"	11.43"	11.43"
G	23.54"	29.52"	23.54"	29.52"	23.54"	29.52"
H	12.4"	17.57"	12.4"	17.57"	12.4"	17.57"
I	9.36"	9.36"	9.36"	9.36"	9.36"	9.36"
J	31"	31"	43.53"	43.53"	55.33"	55.33"
K	5.5"	5.5"	5.5"	5.5"	5.5"	5.5"
*K ₁	2.87"	2.87"	2.87"	2.87"	2.87"	2.87"

*K₁ - Low Profile caster option.

Slotted Upright Modules


- Upright module consist of a minimum of 2 uprights, which are installed with the correct spacing for the desired module size (see table).
- Upright modules can easily be extended to create double modules (3 uprights needed) or triple (4 upright needed) etc.
- Each upright can support loads equal to the maximum load limited by

table frame or accessories in use.

- For accessories the height adjustment steps are 1.1".

Steel Thickness:

Steel used in the construction of the upright is 14 gauge CRS steel.



Slotted Upright Modules

	A	B	C	D	E	F	G
M20	2.36"	1.18"	18.5"	19.7"	20.86"	-----	-----
M30	2.36"	1.18"	28.35"	29.5"	30.71"	-----	-----
M36	2.36"	1.18"	34.37"	35.6"	36.73"	-----	-----
M48	2.36"	1.18"	46.06"	47.2"	48.42"	-----	-----
M53	2.36"	1.18"	51.97"	53.15"	54.33"	-----	-----
M60	2.36"	1.18"	57.87"	59.1"	60.23"	-----	-----
M72	2.36"	1.18"	69.92"	71.1"	72.28"	-----	-----
2XM20	2.36"	1.18"	18.5"	19.7"	20.86"	39.36"	40.54"
2XM30	2.36"	1.18"	28.35"	29.5"	30.71"	59.06"	60.23"
2XM36	2.36"	1.18"	34.37"	35.6"	36.73"	71.11"	72.28"
3XM20	2.36"	1.18"	18.5"	19.7"	20.86"	59.06"	60.24"
4XM20	2.36"	1.18"	18.5"	19.7"	20.86"	78.74"	79.92"

Contact a Sovella representative for more information on counter mounted upright mounting locations.

Shelves


Adjustable Shelves

- Shelves are available in widths of M20 (19.7"), M30 (29.5") and M36 (35.4").
- Loading capacity for standard adjustable shelves is 220 lbs.
- Loading capacity for the depth adjustable shelf is 110 lbs.
- Shelves are available in depths of 19.9" and 25.6".
- Shelves can be adjusted as horizontal or tilted (+/- 25 degree).
- Shelves have chamfered edges in the front and back
- Shelves can be mounted at different depths: front justified, in the middle or rear justified.

- Depth adjustment allows for 9" of adjustment on 20" deep shelves and 14.5" on 26" deep shelves.
- Height adjustment is in 1.1" intervals.
- All shelves have a mat: ESD-mat or rubber-mat for a non-slip shelf surface.

Steel Thickness:

Steels used in the construction of the products are 14, 16 and 20 gauge CRS steel





Rear Justified Adjustable Shelves

Adjustable Shelves - 26" deep

	M20	M30	M36	M53
A	19.7"	29.5"	35.4"	51.89"
B	25.59"	25.59"	25.59"	25.59"
C	18.35"	28.15"	34.05"	50.31"
D	23.66"	23.66"	23.66"	23.66"

Adjustable Shelves - 20" deep

	M20	M30	M36	M53
A	19.7"	29.5"	35.4"	51.89"
B	19.88"	19.88"	19.88"	19.88"
C	18.35"	28.15"	34.05"	50.31"
D	17.95"	17.95"	17.95"	17.95"




Front Justified Adjustable Shelves

Bin Rails


- Bin rail load capacity 110 lbs per rail
- Light duty bin rail capacity 22 lbs per rail
- Bins rails may be mounted straight or angled at 15°

Bin quantity configuration per bin rail


Bins	M20	M30	M36	M48	M53	M60	M72
1015 Stacking	4	7	8	11	12	14	17
1520 Stacking	3	5	6	8	8	10	12
1525 Stacking	3	5	6	8	8	10	12
1930 Stacking	2	4	4	6	7	8	9
1940 Stacking	2	4	4	6	7	8	9
1950 Stacking	2	4	4	6	7	8	9
3040 Stacking	1	2	2	3	4	4	5
3050 Stacking	1	2	2	3	4	4	5
30-1L Picking	5	7	9	12	13	15	18
30-2L Picking	2	3	4	6	6	7	9
30-23L Picking	2	3	4	6	6	7	9




Bin rail assembled for stacking bins



Bin rail assembled for picking bins



Light duty bin rail



Bin Rail Extension Brackets

Spare parts

Cabinet spare parts	Product	Part Number
Rubber mat 21.65" x 16.54"	Industrial cabinet 55/3.94"	836716-00
Rubber mat 31.46" x 16.54"	Industrial cabinet 80/3.94"	836715-00

Drawer unit spare parts	Product	Part Number
Base	55 drawer unit	854101-49
Top cover	55 drawer unit	854102-49
Rubber mat 21.61" x 27.91"	55 drawer unit's cover	836717-00
Cover with rubber mat	70 drawer unit	834904-41
Cover with rubber mat	Sliding-door cabinet	852276-41
Rubber mat 26.61" x 17.52"	71/79 drawer unit's cover / Service cart cover	854036-00
Cover with rubber mat 35.67" x 28.98"	90 drawer unit	854258-41
Cover with rubber mat 51.34" x 28.98"	130 drawer unit	854259-41

Drawer interior spare parts	Product	Part Number
Divider, L=23.62"	For drawer height 2.95"	872310-49
Divider, L=23.62"	For drawer height 3.94"	872311-49
Divider, L=23.62"	For drawer height 5.91" & 9.84"	872312-49
Middle plate, L=3.94"	For drawer height 2.95"	832525-49
Middle plate, L=5.91"	For drawer height 2.95"	832526-49
Middle plate, L=11.81"	For drawer height 2.95"	832527-49
Middle plate, L=3.94"	For drawer height 3.94"	832528-49
Middle plate, L=5.91"	For drawer height 3.94"	832529-49
Middle plate, L=11.81"	For drawer height 3.94"	832530-49
Middle plate, L=3.94"	For drawer height 5.91" & 9.84"	832531-49
Middle plate, L=5.91"	For drawer height 5.91" & 9.84"	832532-49
Middle plate, L=11.81"	For drawer height 5.91" & 9.84"	832533-49
Middle plate holder set, 12 pcs		853003-00
Divider side holder 2.95"	For drawer height 2.95"	854282-49
Divider side holder 3.94"	For drawer height 3.94"	854264-49
Divider side holder 5.91"	For drawer height 5.91" & 9.84"	854265-49
Tool trough 5.91"/4	5.91" x 5.91", 4x1.3" troughs	837460-00
Tool trough 5.91"/3	5.91"x5.91", 3x1.77" troughs	837450-00
Tool trough 5.91"/2	5.91"x5.91", 2x2.76" troughs	837430-00
Middle plate, tool troughs, 1.3"	For tool trough 5.91"/4	837490-00
Middle plate, tool troughs, 1.77"	For tool trough 5.91"/3	837480-00
Middle plate, tool troughs, 2.76"	For tool trough 5.91"/2	837470-00

Castors	Product	Part Number
Castor set Ø 3.94"	55 drawer unit	852625-00
Castor set Ø 3.94"	Storage cart	852768-00
Castor set Ø 3.94"	Fitter's cart and TP bench	834734-00
Castor set Ø 4.92"	Basic cart	834740-00
Castor set Ø 3.94" ESD	Storage cart	852774-00
Castor set Ø 3.94" ESD	TP bench	860429-00
Fixed castor Ø 5.91"	Service cart	900537-00
Fixed castor Ø 6.3"	Heavy duty cart	900040-00
Swivel castor Ø 3.94"	Service cart	942060-00
Swivel castor Ø 6.3"	Heavy duty cart	900041-00
Support castor Ø 3.94"	Tool storage system	943690-00

General Terms

Freight is FOB shipping point, Canton, GA. Freight will be pre-paid and added to the invoice or freight collect according to your written instructions. We will coordinate shipments with your representatives. If the job site is not ready to accept shipments at the time scheduled, we will not be responsible for moving material in or out of storage or other job site locations and any costs incurred. **"FOB shipping point"** indicates the buyer pays shipping cost to the end user, and takes responsibility for the goods when the goods leave the Sovella's premises or the premises of the Sovella subcontractor when drop shipping direct from the Sovella subcontractor to the end user.

Worksurfaces – While we will always try to ship all products together, due to delivery situations, and order size worksurfaces may need to be shipped directly from our plant in Bow, NH. A confirmation of this decision will be sent to distributor at time the order is placed.

All material is shipped knocked-down unless otherwise noted. Assembly and installation is not included unless otherwise noted on the order.

Receipt of goods must be inspected and inventoried. Any shortage must be reported in writing within **48 hours**. Sovella's freight terms are FOB Canton, GA. Any freight damage should be noted on the freight bill at the time of receipt. Claims should be reported to the freight company directly as soon as possible. Sovella will assist in the claims process but cannot file the claims.

Return policy; All returned goods require a RMA number (Return Merchandise Authorization) issued by Sovella, Inc. prior to the return of any goods. **All Requests for return authorization must be within 60 days of original invoice.** All returns should be packaged so that it is returned in re-sellable condition; returned freight prepaid. Upon receipt and inspection of product, Sovella, inc. will issue an 80% credit against applicable invoice if product is deemed re-sellable. Custom or non-standard products may not be returned.

Authorization of partial shipments requires written approval from the distributor and acceptance by Sovella, Inc.

Terms are NET 30 days from the date of invoice.

Warranty: Steel construction and weldments, (5) five years from date of shipment. Mechanical cranks, fixtures and devices, (1) one year from date of shipment. Electrical motors, fixtures, and devices, (1) one year from date of shipment. All in accordance with established Sovella warranty statements.

All products are Sovella gray (RAL 7035) in color unless otherwise noted. Special paint colors may incur an additional cost.

All items noted with ESD properties are guaranteed to meet ESD requirements specified in the IEC-61340-5-1 standard. Connection, grounding, any local requirements and verification of same is the responsibility of the end user.

Change orders to the items listed above are to be detailed in separate correspondence including any modifications in price.

Sovella will not accept any contract or agreement that contains any penalties or liquidated or actual damages.

All orders are subject to credit approval by Sovella, Inc.

Any order under our \$100.00 minimum will be subject to a \$25.00 handling fee. Spare parts excluded.


Packaging

Sovella takes pride in protecting our shipments from damage. Shipments are carefully packed to ensure shipments are received damage-free. Upon shipping, "DO NOT STACK" cones are placed on top of the boxes. A photograph of the shipment is placed on the outside of the package to display the state of the shipment as it is shipped. The photograph provides photo proof to the receiver as to the state of the shipment upon departure from origin.



3D ONLINE CONFIGURATOR

CLICK • DESIGN • QUOTE



<https://3d.treston.us>

HEADQUARTERS

Treston Oy
Sorakatu 1
FI-20730 Turku
Tel. +358 10 4469 11
Fax +358 10 4469 789
sales@treston.com
www.treston.com

FACTORIES

Treston Oy, Turku plant
Sorakatu 1
FI-20730 Turku
Tel. +358 10 4469 11
Fax +358 10 4469 789
sales@treston.com
www.treston.fi

Treston Oy, Jyväskylä plant
PO Box 33 (Sohlberginkatu 10)
FI-40351 Jyväskylä
Tel. +358 10 4469 11
Fax +358 10 4469 290
sales@treston.com
www.treston.fi

FRANCE

Treston France SARL
Z.A.C. de la Bonne Rencontre
1, voie Gallo Romaine, Quincy-Voisins
77334 Meaux Cedex
Tel. +33 1 64 17 11 11
Fax +33 1 64 17 11 10
infofr@treston.com
www.treston.fr

GERMANY

Treston Deutschland GmbH
Friedrich-Ebert-Damm 143
22047 Hamburg
Tel. +49 40 8816 5022 - 0
Fax +49 40 8816 5022 - 10
info.de@treston.com
www.treston.de

Treston Deutschland GmbH
Niederlassung Raunheim
Frankfurter Straße 101
65479 Raunheim
Tel. +49 6142 992 50
Fax +49 6142 218 75
mail.de@treston.com
www.treston.de

RUSSIA

Treston Russia LLC
197375, Russia, Saint-Petersburg,
Marshala Novikova street 42
Tel. +7 812 677 76 20
info.ru@treston.com
www.treston.ru

SWEDEN

Treston AB
Enhagsslingan 6
187 40 Täby
Tel. +46 8 511 791 60
Fax +46 8 511 797 60
info.se@treston.com
www.treston.se

UNITED KINGDOM

Treston Ltd
Treston House
5b Bone Lane, Newbury
Berkshire, RG14 5SH
Tel. +44 1635 521521
salesuk@treston.com
www.treston.com

USA

Treston, Inc.
156 Bluffs Court
Canton, GA 30114
Tel. +1 770-721-7980
Fax +1 770-720-6584
infousa@treston.com
www.treston.us

Premium partners

BENELUX

Human Workspace BV
Mechelaarstraat 17
4903 RE Oosterhout
Tel. +31 162 454 383
Fax +31 162 434 712
infofen@humanworkspace.nl
www.humanworkspace.nl

NORWAY

Industrimøbler AS
Solheimveien 50
1473 Lørenskog
Tel. +47 22 25 05 00
post@industrimobler.no
www.industrimobler.no

POLAND

Treston Ergona
ul. E. Orzeszkowej 6 lok. 2A
05-825 Grodzisk Mazowiecki
Tel. +48 604 11 98 64
info@ergona.pl
www.ergona.pl

Treston Global Network



Treston has a long history in professional furniture design and manufacture, and well over three decades of experience in ergonomic workspace development. Our design and manufacturing facilities are located in Finland.

Thanks to our global sales network, you can receive local support and customer service anywhere in the world. We have offices in Europe and North America as well as an extensive network of selected dealers in more than 30 countries.